Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62,61

Price List

of the

American Nursery Company



70 East 45th Street New York

Business Terms

ALL ORDERS ARE ACCEPTED SUBJECT TO previous sale and the following terms and conditions:

PRICES in this catalogue cancel all previous lists and quotations and are subject to change without notice. The charge for packing will be additional, at cost.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to their responsibility, when for your convenience accounts will be opened due in 30 days from date of invoice.

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name and in good condition when shipped.

WE CAN GIVE NO GUARANTEE ON THE LIFE OF PLANTS, as we have no control over it after leaving our hands.

CLAIMS must be made within five days after receipt of goods. Stock delivered as per order and in good condition is not returnable.

GOODS IN TRANSIT.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we recive their receipt for the shipment in good condition.

CLAIMS FOR DAMAGE WHILE IN TRANSIT MUST BE MADE AGAINST THE DELIVERY COMPANY. Have delivery agent note the damaged condition on the freight bill, and promptly present your claim to the transportation company.

DISCOUNTS FOR QUANTITY

On certain plants we make, upon application, special prices for quantity. 10% on 10 and 20% on 100 from the each price.

 Cydonia japonica
 Example

 1½ to 2 ft
 .50 4.50 40.00

Deciduous Trees

NOTE—The figures in italics, following each variety, indicate in feet the approximate height of that plant when mature. It must be understood, however, that many varieties in their native habitat greatly exceed this height, but soil and climatic conditions modify their growth and character to a variable extent, and allowance for this has been made in the heights given here.

has been made in the neights given here.
ACER dasycarpum. Silver Maple. 60'-80' Quick growing, graceful. Leaves silvery underneath—yellow autumn coloring.
Leaves silvery underneath—yellow autumn coloring. 8 to 10 ft., 1¼ in\$1.75 10 to 12 ft., 1¾ in\$3.00 10 to 11 ft., 1½ in 2.50 12 to 13 ft., 2 in 3.75
dasycarpum wieri. WIER CUTLEAF MAPLE. 60'-80' Graceful, drooping.
8 to 10 ft., 11/4 in
negundo. Boxelder. 60' Especially good for dry barren places and seashore. Rapid grower.
and seashore. Rapid grower. 8 to 10 ft., 1½ in 1.75 11 to 12 ft., 1¾ in 3.00 10 to 11 ft., 1½ in 2.25 12 to 13 ft., 2 in 4.00 platanoides. Norway MAPLE. 50'-75' The most popular street
platanoides. Norway Maple. 50'-75' The most popular street tree, retains leaves until late autumn, when they turn rich yellow.
8 to 10 ft., 1½ in 4.00 11 to 12 ft., 1¾ in 5.50 10 to 11 ft., 1½ in 4.50 12 to 13 ft., 2 in 6.50
platanoides schwedleri. Schwedler Purple Maple. 40'-60'
Probably the best large growing purple leaf tree—useful lawn tree.
6 to 8 ft
pennsylvanicum (striatum). STRIPED MAPLE. 20'-30' Green bark
striped with white. Thrives in wet soils. 3 to 4 ft
rubrum. RED OR SCARLET MAPLE. 50'-75' Best in moist locations.
also thrives in upland. Brilliant red autumn coloring. 8 to 10 ft., 1½ in 3.75 12 to 13 ft., 1¾ in 5.50 10 to 12 ft., 1½ in 4.50 13 to 14 ft., 2 in 6.50
10 to 12 ft., 1½ in 4.50 13 to 14 ft., 2 in 6.50
saccharum. SUGAR MAPLE. 50'-75' Most popular in northern states. Best planted in spring—rich yellow autumn coloring. 10 to 11 ft., 1½ in 3.25 12 to 13 ft., 1¾ in 5.25 11 to 12 ft., 1½ in 4.00 13 to 14 ft., 2 in 6.50
AESCULUS parviflora. (Pavia macrostachia.) BOTTLEBUSH BUCK-
EYE. 6'-7' Handsome spreading shrub covered with panicles of creamy flowers in July-August. Leaves similar to horse-
chestnut. 18 to 24 in75 2 to 3 ft 1.00 3 to 4 ft 1.50
AILANTHUS glandulosa. TREE-OF-HEAVEN. 50'-60' Succeeds under most adverse city conditions—grows rapidly.
4 to 6 ft. 1.00 8 to 10 ft. 1.75 6 to 8 ft. 1.25 10 to 12 ft. 2.50
AMYGDALUS persica (Prunus). Flowering Peach. 8'-10' Very decorative double flowering form, blooms before leaves—red, white.
2 to 3 ft
BETULA alba. EUROPEAN WHITE BIRCH. 30'-50' White bark. 4 to 6 ft
for lawn planting.
5 to 6 ft

BETULA alba pyramidalis. Pyramidal White Birch. 30'-40' Dense, columnar.
4 to 5 ft\$2.50 5 to 6 ft\$3.25
alba youngi. Youngs Weeping Birch. 30'-40' Spreading pendulous branches. Graceful lawn specimen.
3 to 4 ft
lenta. Sweet Birch. 40'-00' Attractive smooth reddish bark and conspicuous catkins in spring.
3 to 4 ft. 1.00 6 to 8 ft. 1.85 4 to 6 ft. 1.35 8 to 10 ft. 2.50
lutea. Yellow Birch. 50'-70' Makes fine windbreak—good foliage.
4 to 6 ft
nigra. RIVER BIRCH. 50'-60' Thrives in moist places. Its torn ragged bark is unique—fine for naturalistic planting. 3 to 4 ft 1.00 6 to 8 ft 1.75 4 to 6 ft 1.35 8 to 10 ft 2.50
ragged bark is unique—fine for naturalistic planting.
papyrifera. CANOE BIRCH. 40'-50' Picturesque paper bark, very white when old—graceful branching habit.
4 to 6 ft. 1.35 8 to 10 ft. 2.50 6 to 8 ft. 1.75 10 to 12 ft. 3.75
populifolia. GRAY BIRCH. 30'-40' Grows in poor and dry soil. 6 to 8 ft
CARPINUS caroliniana (americana). American Hornbeam. 30'-40'
Closely resembles the beech—smooth, blue-gray bark. 3 to 4 ft
CATALPA bungei. UMBRELLA CATALPA. 10'-15' Formal planting.Medium Heads.1¼ in. stems2.00First Class Heads.1½ in. stems2.50Extra Large Heads.1¾ in. stems2.75Double Ex. Large Heads.2 in. stems3.25
speciosa. Western Catalpa. 30'-35' 8 to 10 ft
CEDRELA sinensis. CHINESE CEDRELA. 30'-40' Tropical effect—clusters of white flowers. Will thrive in city. 2 to 3 ft
CELTIS occidentalis. HACKBERRY. 50'-60' Similar foliage and habit
as Elm. 4 to 5 ft
CERASUS. (See Prunus)
CERCIDIPHYLLUM japonicum. Katsura-tree. 60'-80' A magnificent tree. Beautiful spring and autumn colors. 4 to 5 ft
CERCIS. JUDAS-TREE. (See Shrubs)
CLADRASTIS lutea (tinctoria). Yellow-wood. 30'-40' Long panicles of fragrant white flowers in June. 4 to 5 ft
CORNUS florida. WHITE FLOWERING DOGWOOD. 15'-25' One of the best spring flowering trees—red berries in fall. 3 to 4 ft
florida pendula. Weeping Dogwood. 8'-10' Curious weeping
3 to 4 ft
rubra. RED FLOWERING DOGWOOD. 15'-20' Flowers bright pink. 1½ to 2 ft. 1.30 3 to 4 ft. 2.75 2 to 2½ ft. 2.00 4 to 5 ft. 3.25 2½ to 3 ft. 2.50

The state of the s
CRATAEGUS carrieri. Carriere Hawthorn. 12'-15' 3 to 4 ft. \$1.00 4 to 5 ft. \$1.25 coccinea. Thicket Hawthorn. 15'-20' Large scarlet fruits. 2 to 3 ft. .80 4 to 5 ft. 1.25 3 to 4 ft. 1.00 5 to 6 ft. 1.50
3 to 4 ft\$1.00 4 to 5 ft\$1.25
coccinea. THICKET HAWTHORN. 15'-20' Large scarlet fruits.
2 to 3 ft
3 to 4 ft
cordata. Washington Hawthorn. 12'-15' Small, brilliant red berries which persist nearly all winter. Brilliant autumn foliage. 3 to 4 ft 1.00 4 to 5 ft 1.30 crusgalli. Cockspur Thorn. 15' Distinctive deep green shining
berries which persist nearly all winter. Brilliant autumn foliage.
3 to 4 ft
crusgalli. Cockspur Thorn 15' Distinctive deep green shining
leaves. Conspicuous white flowers.
3 to 4 ft 1 00 4 to 5 ft 1 30
oxycantha (Monogyna). ENGLISH HAWTHORN. 12'-15' Single white flowers.
white flowers
18 to 24 in 50 3 to 4 ft 1.00
18 to 24 in
CDATE TO CALL AND A LANGE AND
CRATAEGUS Paul Scarlet. 12'-15' Double scarlet flowers.
CRATAEGUS Paul Scarlet. 12'-15' Double scarlet flowers. 4 to 5 ft
FAGUS americana (ferruginea). American Beech. 75'-100' Dis-
tinctive silver-gray bark. Prefers well drained limestone soil.
Plant in early spring.
2 to 3 ft
3 to 4 ft 1.85 6 to 7 ft 3.25
sylvatica asplenifolia. Fernleaf Beech. 40'-50' A splendid com-
pact lawn tree with tern-like foliage. Clean gray bark.
Plant in early spring. 2 to 3 ft
FRAXINUS americana. WHITE ASH. 70'-80' Fairly rapid grower. Assumes golden foliage in autumn. Good in moist and lime soils.
Assumes golden foliage in autumn. Good in moist and lime soils.
Splendid street tree.
8 to 10 ft., 1 1/4 in 1.75 12 to 13 ft., 2 in 3.25
Splendid street tree. 8 to 10 ft., 1¼ in 1.75
GINAGO biloba (Sansburia). MAIDENHAIR I REE. 30-75 Pic-
turesque and unusual. Leaves like maidenhair fern. Immune
turesque and unusual. Leaves like maidenhair fern. Immune from insects—thrives under city conditions.
turesque and unusual. Leaves like maidenhair fern. Immune from insects—thrives under city conditions. 8 to 10 ft., 1½ in 2.50 12 to 13 ft., 1¾ in 3.75
turesque and unusual. Leaves like maidenhair fern. Immune from insects—thrives under city conditions. 8 to 10 ft., 1½ in 2.50 12 to 13 ft., 1¾ in 3.75 10 to 12 ft., 1½ in 2.75 13 to 14 ft., 2 in 4.75
GINKGO biloba (Salisburia). MAIDENHAIR TREE. 50'-75' Picturesque and unusual. Leaves like maidenhair fern. Immune from insects—thrives under city conditions. 8 to 10 ft., 1½ in 2.50 12 to 13 ft., 1¾ in 3.75 10 to 12 ft., 1½ in 2.75 13 to 14 ft., 2 in 4.75 GLEDITSIA triacanthos. Honeylocust. 60'-70' Thorny tree with
turesque and unusual. Leaves like maidenhair fern. Immune from insects—thrives under city conditions. 8 to 10 ft., 1½ in 2.50
turesque and unusual. Leaves like maidenhair fern. Immune from insects—thrives under city conditions. 8 to 10 ft., 1½ in 2.50
turesque and unusual. Leaves like maidenhair fern. Immune from insects—thrives under city conditions. 8 to 10 ft., 1½ in. 2.50 12 to 13 ft., 1¾ in. 3.75 10 to 12 ft., 1½ in. 2.75 13 to 14 ft., 2 in. 4.75 GLEDITSIA triacanthos. Honeylocust. 60′-70′ Thorny tree with fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft. 65 5 to 6 ft. 1.25 4 to 5 ft. 80 6 to 8 ft. 1.75
turesque and unusual. Leaves like maidenhair fern. Immune from insects—thrives under city conditions. 8 to 10 ft., 1½ in 2.50 12 to 13 ft., 1¾ in 3.75 10 to 12 ft., 1½ in 2.75 13 to 14 ft., 2 in 4.75 GLEDITSIA triacanthos. Honeylocust. 60′-70′ Thorny tree with fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft65 5 to 6 ft 1.25 4 to 5 ft80 6 to 8 ft 1.75 GYMNOCLADUS diocia. Kenylocytoffee Tree. 40′-50′ Light
turesque and unusual. Leaves like maidenhair fern. Immune from insects—thrives under city conditions. 8 to 10 ft., 1½ in 2.50 12 to 13 ft., 1¾ in 3.75 10 to 12 ft., 1½ in 2.75 13 to 14 ft., 2 in 4.75 GLEDITSIA triacanthos. Honeylocust. 60′-70′ Thorny tree with fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft
fragrant white flowers in May. Good for gravelly soil. 3 to 4 ft

LIRIODENDRON tulipifera. TULIPTREE. 60'-80' Quick grower,
vellow tulin-like flowers in June-flot tenned leaves vellow in
6 to 8 ft\$1.75 10 to 12 ft\$2.75
8 to 10 ft 2.50 12 to 14 ft 3.25
autumn. Prefers moist place. 6 to 8 ft\$1.75 10 to 12 ft\$2.75 8 to 10 ft\$2.50 12 to 14 ft\$3.25 MAGNOLIA glauca. SWEETBAY. 15'-20' Fragrant creamy flowers in
May, leaves nearly evergreen, prefers moist location.
tripetala. Umbrella Magnolia. 30'-40' Very large leaves—flowers
white in late spring. Seed pods are pink.
MAGNOLIA glauca. SWEETBAY. 15'-20' Fragrant creamy nowers in May, leaves nearly evergreen, prefers moist location. 2 ft., B. & B
MALUS coronaria. WILD SWEET CRAB 15'-20' Fragrant blush pink
flowers in early spring—April. 3 to 4 ft
4 to 5 ft
floribunda. JAPANESE FLOWERING CRAB. 10'-15' Literally covered
with rose-colored buds and white flowers in early spring. 4 to 5 ft 1.75
with rose-colored buds and white flowers in early spring. 4 to 5 ft
4 to 5 ft
$3 \text{ to } 4 \text{ ft.} \dots 1.25 \qquad 4\frac{1}{2} \text{ to } 5 \text{ ft.} \dots 2.50$
3 to 4 ft 1.25 4½ to 5 ft 2.50 4 to 4½ ft 1.85 5 to 6 ft 2.75 scheideckei. Scheidecker Crab. 10′-15′ Double pink lasting
flowers.
4 to 5 ft
MORUS alba pendula. Weeping Mulberry. 8'-10'
Medium Grade 2.50 Extra 4.00 First Class Heads 3.25 Double Extra 5.25
OVVDENDRUM substances Covervoor and and Created clusters of
OXYDENDRUM arboreum. Sourwood. 25'-30' Graceful clusters of white flowers, Aug. Good leathery foliage, fine autumn color. 2 to 3 ft 1.00 3 to 4 ft 1.25 4 to 5 ft 1.50 PAULOWNIA imperialis. Royal Paulownia. 30'-40' Rapid grower, large leaves, purple flowers. Not quitehardy in north. 4 to 6 ft 1.30 6 to 8 ft 2.00 8 to 10 ft 2.75
2 to 3 ft 1.00 3 to 4 ft 1.25 4 to 5 ft 1.50
PAULOWNIA imperialis. ROYAL PAULOWNIA. 30'-40' Rapid grower,
large leaves, purple flowers. Not quitehardy in north.
PLATANUS orientalis. European Planetree. 70'-80' A good tree
for park and street use, quick grower, stands city conditions,
for park and street use, quick grower, stands city conditions. 8 to 10 ft., 1¼ in 2.50 11 to 12 ft., 1¾ in 4.50 10 to 11 ft., 1½ in 3.75 12 to 13 ft., 2 in 5.25
POPULUS alba. WHITE POPLAR. 60'-80' Rapid grower, attractive
foliage with wooly-white under-surface—good seashore plant. 8 to 10 ft., 1¼ in 1.75 10 to 12 ft., 1½ in 2.00 balsamifera. Balsam Poplar. 60'-70' Has fragrant buds in spring.
balsamifera. Balsam Poplar. 60'-70' Has fragrant buds in spring.
Broad leaves, commendable. 10 to 11 ft., 1½ in 1.75 11 to 12 ft., 1¾ in 2.00 bolleana. Bolleana Poplar. 50′-60′ Leaves white underneath, similar columnar character to Lombardy poplar—gray bark.
bolleana. Bolleana Poplar. 50'-60' Leaves white underneath.
similar columnar character to Lombardy poplar—gray bark.
6 to 8 ft 1.25 8 to 10 ft., 1½ in 1.75
canescens. Gray Poplar. 30'-40'
10 to 12 ft., 1½ in 3.75 10 to 12 ft., 1¾ in 4.75
8 to 10 ft., 1 1/4 in 1.75 8 to 10 ft., 1 1/4 in 2.00 canescens. Gray Poplar. 30'-40' 10 to 12 ft., 1/2 in 3.75 10 to 12 ft., 1/4 in 4.75 monilifera. Carolina Poplar. 75'-90' A rapid grower, succeeding even on dry places and near seashore. 8 to 10 ft., 1/4 in 70 12 to 14 ft., 1/4 in 1.75 11 to 12 ft., 1/2 in 1.10 14 to 16 ft., 2 in 2.00 nigra italica. Lombardy Poplar. 60'-80' Tall spire-like character, is valued for screens and architectural effects
8 to 10 ft., 1½ in70 12 to 14 ft., 1¾ in 1.75
11 to 12 ft., 1½ in 1.10 14 to 16 ft., 2 in 2.00
nigra italica. LOMBARDY POPLAR. 00'-80' Tall spire-like character, is valued for screens and architectural effects
6 to 8 ft
8 to 10 ft

POPULUS simoni. SIMON POPLAR.
10 to 11 ft., 1¼ in\$2.25
10 to 11 ft., 1¼ in
PRUNUS avium (Cerasus). FLOWERING CHERRY. 20'-25' Double
white flowers. 4 to 5 ft
2 to 3 tf 125 3 to 4 tf 150
New red. Double Red Japan Cherry. 18'-20'
4 to 5 ft
and graceful tree covered with pink blossoms in early spring. Pyramidal Form
4 to 5 ft., B. & B 4.50 6 to 7 ft., B. & B 8.75 5 to 6 ft., B. & B 6.50
Standard Form
1 year head, B. & B 3.75 3 year head, B. & B 8.00 2 year head, B. & B 5.75
pissardi. Purple Leaf Plum. 12-15 valued chieny because of
purplish foliage. Should be pruned every year for best color effect.
2 to 3 ft
serotina. BLACK CHERRY. 25'-30' Lustrous deep green foliage. 4 to 6 ft
PTELEA trifoliata. HOPTREE. 10'-12' Clusters of hop-like fruits—
purplish-brown fall coloring.
3 to 4 ft
long lived, slow growth.
long lived, slow growth. 6 to 8 ft
bicolor. SWAMP WHITE OAK 75'-90' Best in low damp places. 6 to 8 ft. 2.75 10 to 11 ft., 1½ in 4.50 8 to 10 ft. 3.75 11 to 12 ft., 1½ in 5.75
8 to 10 ft 3.75 11 to 12 ft., 1½ in 5.75
coccinea. SCARLET OAK. 75'-90' Most striking autumn colors, tall stately grower, deeply cut leaves—succeeds in dry places. 6 to 8 ft
6 to 8 ft
palustris. PIN OAK. 75'-90' Takes most kindly to cultivation, prefers moist soil but is very adaptable. Particularly fitting as a
street tree. Good autumn effects. 8 ft., 1½ in 3.75 9 to 10 ft., 1¾ in 5.75
8 ft., 1¼ in 3.75 9 to 10 ft., 1¾ in 5.75 8 to 9 ft., 1½ in 4.50 10 to 12 ft., 2 in 6.75
rubra. Red Oak. 75'-90' Comparatively quick growth, rich autumn coloring in greens and reds—unfolding leaves are pink.
coloring in greens and reds—unfolding leaves are pink. 8 to 9 ft., $1\frac{1}{4}$ in 3.75 9 to 11 ft., $1\frac{1}{4}$ in 5.75 9 to 10 ft., $1\frac{1}{2}$ in 4.50 10 to 12 ft., 2 in 6.75
ROBINIA pseudoacacia. Locust. 60'-80' Has fragrant white flowers
in May. 6 to 8 ft
SALIX babylonica. Babylonian Weeping Willow. 50'-60' Particularly appropriate for waterside planting—long pendulus
branches. 4 to 6 ft90 6 to 8 ft 1.15 8 to 10 ft 1.35
Chinese Form 4 to 6 ft80 6 to 8 ft 1.15 8 to 10 ft 1.35
babylonica aurea. Russian Golden Weeping Willow. 40'-50'
Golden-yellow bark—similar habit to preceding. 5 to 6 ft. 1.10 8 to 10 ft. 1.25 6 to 7 ft. 1.15 10 to 12 ft. 2.00
10 00 12 10 10 10 10 10 10 10 10 10 10 10 10 10

MINIBRICAN NORDERT CO.
SALIX blanda (dolorosa). Wisconsin Weeping Willow. 40'-50' Very hardy.
4 to 6 ft. \$.65 6 to 8 ft. 1.00 8 to 10 ft. 1.25
discolor. Pussy Willow. 15'-20' Desirable for spring effects—does well on dry or wet places. 2 to 3 ft
2 to 3 ft \$.40 4 to 6 ft60 3 to 4 ft50 6 to 8 ft70
elegantissima. Thurlow Weeping Willow. 60'-70' Vigorous spreading. 4 to 6 ft
incana (rosmarinifolia). Rosemary Willow. 12'-15' Fine foliage
effects—narrow leaves, silvery white beneath. 3 to 4 ft
pentandra. Laurel Willow. 20'-30' Shining dark green leaves—valuable for seashore planting.
pentandra. Laurel Willow. 20'-30' Shining dark green leaves—valuable for seashore planting. 3 to 4 ft
our of all "weeping willows."
0 to 8 it
vitellina. Golden Willow. 25'-30' Valuable for winter effect, bright golden bark. Silky leaves, silvery underneath. 3 to 4 ft40 4 to 5 ft50 5 to 6 ft65
vitellina britzensis. Bronze Golden Willow. 20'-25' Particularly good when used with preceding variety—has reddish bronze bark.
2 to 3 ft
SOPHORA japonica. CHINESE SCHOLARTREE. 30'-40' White flowers in late summer.
2 to 3 ft. 1.00 4 to 6 ft. 1.75 3 to 4 ft. 1.35 6 to 8 ft. 2.00
SORBUS aucuparia. European Mountain-ash. 25'-30' Valuable lawn tree—orange scarlet berries.
4 to 5 ft. 1.25 6 to 8 ft. 2.00 5 to 6 ft. 1.35 8 to 10 ft. 2.75
TILIA americana. AMERICAN LINDEN. 75'-90' Quick grower—open head. Fragrant vellow flowers.
head. Fragrant yellow flowers. 10 to 11 ft., 13/4 in 4.00 12 to 13 ft., 23/4 in 6.00 11 to 12 ft., 2 in 5.25 13 to 14 ft., 23/2 in 7.25
tomentosa (argentea). SILVER LEAF LINDEN. 60'-70' Symmetrical and compact—leaves silvery gray underneath. 2 in
platyphyllos. European Bigleaf Linden. 60'-75' 9 to 10 ft., 1½ in 3.25 11 to 12 ft., 2 in 5.75 10 to 11 ft., 1¾ in 4.50 11 to 12 ft., 2¼ in 7.25
vulgaris (europaea). European Linden. 60'-70' Fragrant flowers in late June, grows vigorously, compact symmetrical tree. 10 to 12 ft., 1½ in 3.25 11 to 12 ft., 2 in 6.00 10 to 12 ft., 1¾ in 4.75 11 to 12 ft., 2¼ in 7.50
ULMUS americana. American Elm. 80'-100' One of the most beau-
tiful and stately native trees. 8 to 10 ft., $1\frac{1}{4}$ in 2.75 10 to 12 ft., $1\frac{3}{4}$ in 4.50 9 to 11 ft., $1\frac{1}{2}$ in 3.75 11 to 12 ft., 2 in 6.00

Deciduous Shrubs

The shrubs we offer are of a standard commercial grade, young and thrifty. They are not crowded in rows to make them grow tall, but are given space enough for proper development. This insures a bushy and full plant, which far more than height ought to be, and indeed is, the standard of excellence.

ACER palmatum (polymorphum). GREEN JAPANESE MAPLE. 12'-15'
A splendid specimen for lawn planting—star shaped leaves. 3 to 4 ft\$4.50
palmatum atro purpureum. Purple Leaf Japan Maple. 6'-8'
Has rich purple-red leaves all summer. 1½ to 2 ft. 5.75 2 to 2½ ft. 7.25 2½ to 3 ft. 8.00
tatarica ginnala. Tatarian Maple. 10'-12' Graceful and valuable
for bright red autumn coloring.
3 to 4 ft
AMELANCHIER canadensis (botryapium). Downy Juneberry.
10'-12' White flowers before leaves. Fruits relished by birds. 2 to 3 ft65 3 to 4 ft80 4 to 5 ft90
AMORPHA fruticosa. Indigorust. 8'-10' Deep purple flowers
June, spreading. 2 to 3 ft40 3 to 4 ft50 4 to 5 ft65
2 to 3 ft40 3 to 4 ft50 4 to 5 ft65
AMYGDALUS nana. Flowering Almond. 5'-6' Flowers double, May.
Pink and White.
1½ to 2 ft80 2½ to 3 ft1.15 2 to 2½ ft1.00 3 to 3½ ft1.35
ARALIA pentaphylla. FIVELEAF ARALIA. 7'-8' Graceful arching habit.
Greenish white flowers. Splendid for banks. Good green foliage.
2 to 3 ft
spinosa. Devils-Walkingstick. 18'-20' Useful for tropical effects. White flowers, July—dark purple berries follow.
2 to 3 ft
3 to 4 ft
ARONIA melanocarpa (nigra). BLACK CHOKEBERRY. 8'-10' Delicate
white flowers in May. Black berries persist until late. 1½ to 2 ft
2 to 3 ft
for red berries.
$1\frac{1}{2}$ to 2 ft65 2 to 3 ft80 3 to 4 ft 1.00
AZALEA arborescens. Sweet Azalea. 10'-12' Fragrant white flowers, June.
12 to 15 in., B. & B 1.75 18 to 24 in., B. & B 2.75
15 to 18 in., B. & B 2.25
calendulacea (lutea). Flame Azalea. 8'-10' Flame-colored flowers in early spring.
12 to 15 in., B. & B 1.75 15 to 18 in., B. & B 2.25
kaempferi. Torch Azalea. 4'-5' Warm brick-red flowers in May.
12 to 15 in., B. & B 2.50 15 to 18 in., B. & B 2.75 mollis. Chinese Azalea. 4'-6' Large showy orange and red
flowers. May-June.
12 to 15 in., B. & B 2.00 1½ ft., B. & B 3.25 15 to 18 in., B. & B 2.75
pontica. PONTIC AZALEA. 6'-8' Flowers of all shades, white to red. 12 to 15 in., B. & B 2.00 15 to 18 in., B. & B 2.75
rosea. Downy Azalea. 4'-5' Good bushy habit. Beautiful pink
flowers, May-June. Prefers semi-shady, moist place. 1½ to 2 ft., B. & B 2.75 2 to 2½ ft., B. & B 3.25
, , , , , , , , , , , , , , , , , , , ,

AZALEA viscosa. SWAMP AZALEA. 4'-5' White, very fragrant,
June–July. 12 to 15 in., B. & B \$1.75 18 to 24 in., B. & B \$2.50 15 to 18 in., B. & B 2.00 yodogawa. Yodogawa Azalea. 3'-4' Double pinkish-lavender flowers, May. Quite hardy and of exceptional merit. 12 to 15 in., B. & B 2.00 18 to 24 in., B. & B 3.25 15 to 18 in., B. & B 2.50 2 ft., B. & B 4.75 BACCHARIS halimifolia. GROUNDELBUSH. 0'-10' Conspicuous
yodogawa. Yodogawa Azalea. 3'-4' Double pinkish-lavender
flowers, May. Quite hardy and of exceptional merit. 12 to 15 in., B. & B 2.00 18 to 24 in., B. & B 3.25
15 to 18 in., B. & B 2.50 2 ft., B. & B 4.75
fluffy seed pods in Sept. Good for seashore. Best in masses.
BENZOIN aestivale (Lindera Benzoin). Spicebush. 10'-12' Flowers yellow, April—scarlet berries—leaves aromatic. 18 to 24 in55 2 to 3 ft65 3 to 4 ft 1.00 BERBERIS thunbergi minor. Box BARBERRY. 2'-3' A dwarf form of Japanese Barberry. Fruits sparingly. Fine for dwarf clipped
18 to 24 in55 2 to 3 ft65 3 to 4 ft 1.00
nedges.
Each Per 10 Per 100 10 to 12 in
10 to 12 in
amurensis japonica. HAKODATE BARBERRY. 5'-6' Brilliant orange
12 to 15 in 50 18 to 24 in
thunbergi. Japanese Barberry. 4'-5' A splendid low hedge plant or for massing. Brilliant autumn coloring, scarlet berries.
Each Per 10 Per 1000 Per 1000
12 to 13 m
18 to 24 in
2½ ft
12 in
vulgaris. European Barberry. 7'-8' Yellow flowers, May. Fruit red. persisting to midwinter. Vigorous, upright habit.
1½ to 2 ft
3 to 4 ft
vulgaris purpurea. Purple Barberry. 7'-8' Has pleasing soft purple foliage. Similar in habit to preceding.
18 to 24 in50 4.00 35.00 256.00 2 to 2½ ft60 4.75 40.00 2½ ft80 6.50 thunbergi. Sheared Globes. These are well shaped solid specimens 12 in 1.75 15 in 2.00 18 in 2.75 vulgaris. European Barberry. 7'-8' Yellow flowers, May. Fruit red, persisting to midwinter. Vigorous, upright habit. 1½ to 2 ft35 2.75 25.00 2 to 3 ft40 3.25 29.00 3 to 4 ft50 4.00 32.00 vulgaris purpurea. Purple Barberry. 7'-8' Has pleasing soft purple foliage. Similar in habit to preceding. 18 to 24 in40 3.25 3 to 4 ft65 5.50 2 to 3 ft50 4.00 BUDDLEIA veitchi. Butterflybush. 5'-6' Very effective—gray-
BUDDLEIA veitchi. Butterflybush. 5'-6' Very effective—gray-
BUDDLEIA veitchi. BUTTERFLYBUSH. 5'-6' Very effective—gray-green foliage and deep lilac flowers. Likes sun. June—Sept. 18 to 24 in 35 2 to 3 ft 40 3 to 4 ft 50
CALLICARPA purpurea. CHINESE BEAUTYBERRY. 3'-4' Especially attractive in August with its lilac-violet berries. Graceful habit.
15 to 18 in
CALYCANTHUS floridus. Common Sweetshrub. 4'-5' Reddish-
brown flowers, June-Sept., spicy fragrance. 18 to 24 in
CARAGANA arborescens. SIBERIAN PEA-TREE. 10'-12' Yellow pea-
shaped flowers, May-June. Does best in well-drained place. 2 to 3 ft
CARYOPTERIS incana (mastacanthus). Bluebeard. 2'-3' Lavender-blue flowers, SeptOct. Splendid for massing. Requires pro-
tection in winter. 12 to 15 in., 1 yr
CEPHALANTHUS occidentalis. BUTTONBUSH. 5'-6' Round heads of
CEPHALANTHUS occidentalis. Buttonbush. 5'-6' Round heads of creamy-white flowers, July-Sept. Good foliage. 18 to 24 in 35 2 to 3 ft 40 3 to 4 ft 50

CERCIS canadensis. American Redbud. 12'-15' Rosy-pink, April. Very effective when planted with dogwood. Good foliage.
CERCIS canadensis. American Redbud. 12'-15' Rosy-pink, April. Very effective when planted with dogwood. Good foliage. 2 to 3 ft\$.65 3 to 4 ft\$.90 4 to 5 ft\$1.10 japonica. Chinese Redbud. 10'-12' Flowers larger and darker than preceding—succeeds best in rather moist soil.
18 to 24 in
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
CLETHRA alnifolia. Summersweet. 4'-5' Spikes of fragrant white flowers, July-Sept. Prefers moist, shady places—good for mass-
18 to 24 in
COLUTEA arborescens. Bladder Senna. 8'-10' Yellow flowers, June-Aug. Useful for dry places—inflated seed pods often colored.
2 to 3 ft
CORNUS alba (sibirica). CORAL DOGWOOD. 8'-10' Bright red bark, blue fruits—quick grower, useful for winter effect. White flowers. 2 to 3 ft
green leaves. White flowers.
2 to 3 ft
18 to 24 in
black fruit. Creamy white flowers. 2 to 3 ft65 3 to 4 ft70 4 to 5 ft90
black fruit. Creamy white flowers. 2 to 3 ft
2 to 3 ft
gray-green leaves, white fruits, small white flowers all summer.
and the Court Downson and and North Market and the Assessment of the Court of the C
in May followed by white fruits on red stems—likes moisture
in May, followed by white fruits on red stems—likes moisture. 1½ to 2 ft
stolonifera. Red-osier Dogwood. 7'-8' Spreading, red bark, white
truits. White flowers.
2 to 3 ft
yellow bark. White flowers. 2 to 3 ft
CORYLUS americana. Hazelnut. $8'-9'$ Useful for natural plantings. $2 \text{ to } 3 \text{ ft.} \dots 1.25 3 \text{ to } 4 \text{ ft.} \dots 1.75 4 \text{ to } 5 \text{ ft.} \dots 2.75$
CYDONIA japonica. FLOWERING QUINCE. 4'-5' Scarlet flowers in April-May.
15 to 18 in 40 1½ to 2 ft 50 2 to 2½ ft 60 DESMODIUM. (See Lespedeza)
DEUTZIA gracilis. SLENDER DEUTZIA. 31 Profuse bloomer, white
flowers May
12 to 15 in
graceful. DEMOINE DEUTZIA. 4-5. Large white flowers, June,
graceful. 15 to 18 in

DEUTZIA magnifica. 6'-8' Large tassel-like flowers, June. Vigorous. 2 to 3 ft\$.50 3 to 4 ft\$.70 4 to 5 ft\$.90 parviflora. Mongolian Deutzia. 3' Erect habit, white, June. 15 to 18 in 40 18 to 24 in 50 2 to 2½ ft 60 scabra. Pride of Rochester. 9'-10' Vigorous large flower tinged
2 to 3 ft\$.50 3 to 4 ft\$.70 4 to 5 ft\$.90
15 to 18 in 40 18 to 24 in 50 2 to 2½ ft 60
scabra. Pride of Rochester. 9'-10' Vigorous large flower tinged
pink—June. scabra candidissima. Snowflake Deutzia. 9'-10' Graceful habit,
double white, lune. Grows vigorously—one of the best.
scabra crenata, fl. pl. Double Pink Deutzia. 6'-8' Pink, slightly fragrant, June. Prices of above.
1½ to 2 ft
vilmorinae. VILMORIN DEUTZIA, $4'-5'$
18 to 24 in
DIERVILLA trifida. DWARF BUSH-HONEYSUCKLE. 3' Yellow, June-
July. A good low shrub for shady places. 12 to 15 in40 15 to 18 in50 18 to 24 in60
12 to 15 in
more vigorous than preceding, June–July. 2 to 3 ft40 3 to 4 ft50 4 to 5 ft60
ELAEAGNUS angustifolia. Russian Olive. 15'-18' Silver-gray leaves and branchlets, orange berries. Good for massing—pre-
fers sun. 2 to 3 ft
2 to 3 ft
low flowers. May. Large red berries ripe July. Good for lime- stone soils.
18 to 24 in55 2 to 3 ft80 3 to 4 ft95
EUONYMUS alatus. WINGED EUONYMUS. 9'-10' Interesting corky
bark. Warm crimson autumn coloring, makes fine specimen shrub.
18 to 24 in65 2 to 2½ ft80 2½ to 3 ft 1.00 americanus. Brook Euonymus. 7'-8' Pink fruits, prefers moist
americanus. Brook Euonymus. 7'-δ' Pink fruits, prefers moist places.
1½ to 2 ft
Persistent orange and white seed pods.
2 to 3 ft
europaeus. European Burningbush. 12'-14' Pink fruits on long stalks.
2 to 3 ft
EXOCHORDA grandiflora. PEARLBUSH. 6'-9' Dazzling white flow-
ers, May. Is improved by annual pruning—prefers a moist soil. 2 to 3 ft65 3 to 4 ft70 4 to 5 ft85
FORSYTHIA intermedia. BORDER GOLDENBELL 6'-8' Bright yellow
flowers in April before leaves unfold—profuse and beautiful.
flowers in April before leaves unfold—profuse and beautiful. 2 to 3 ft
profice of all with large rich golden vellow flowers
2 to 3 ft
excellent for massing, banks, or hanging over retaining walls.
suspensa fortunei. FORTUNE GOLDENBELL. 7'-8' Good habit, arch-
ing branches, vigorous growth. Invaluable for shrubbery border.
viridissima. Greenstem Forsythia. 7'-8' Most vigorous. Has
ing branches, vigorous growth. Invaluable for shrubbery border. 2 to 3 ft 40 3 to 4 ft 50 4 to 5 ft
GENISTA tinctoria. Woadwaxen. 3' Yellow pea-shaped flower—
June.
1 to 1½ ft
,- ,- ,-

HALESIA tetraptera. Great Silverbell. 12'-15' Snow-white bell shaped flowers in May. 2 to 3 ft\$.70 3 to 4 ft\$.90 4 to 5 ft\$1.15
HAMAMELIS virginiana. WITCH-HAZEL. 10'-12' Yellow ribbon-like flowers, OctNov. Good foliage, best in moist, half-shady places. 18 to 24 in 50 2 to 3 ft 65 3 to 4 ft 80
HIBISCUS syriacus (althea). Rose of Sharon. 10'-12' Rather formal in outline, flowering in August. Pink, purple, red and white, single and double. Amplissima. Double red. Coerulea. Double purplish blue. Lady Stanley. Double pink. De la Vaux. Double red. Elegantissima. Double pink. 18 to 24 in35 3 to 4 ft50 2 to 3 ft40 4 to 5 ft60 variegata. Variegated Rose of Sharon. 6'-8' Leaves striped
yellow. 1½ to 2 ft65 2 to 3 ft80 3 ft 1.00
HYDRANGEA arborescens. Smooth Hydrangea. 4'-5' White June-July.
18 to 24 in 50 2 to 3 ft 60 3 to 4 ft 70 grandiflora alba (sterilis). Hydrangea. 4'-5' Large heads pure white flowers, June-July. 18 to 24 in 50 2 to 3 ft 70 3 to 4 ft 85 radiata (nivea). Silverleaf Hydrangea. 4'-5' Leaves white underneath, flowers white, June-July. Pleasing fresh green
underneath, flowers white, June-July. Pleasing fresh greer foliage. 1½ to 2 ft50 2 to 3 ft60 3 to 4 ft70 quercifolia. OAKLEAF HYDRANGEA. 3'-4' Leaves shaped like an oal leaf. Splendid autumn coloring—succeeds in shade. 12 to 15 in80 15 to 18 in70 18 to 24 in 1.00 paniculata. PANICLE HYDRANGEA. 8'-9' Large loose panicles of the parameter of the pa
paniculata. Panicle Hydrangea. 8'-9' Large loose panicles of white flowers, August. A graceful, desirable shrub. 1½ to 2 ft
Medium, 3 to 4 ft 1.25 Extra, 4 to 5 ft 1.75 First class, 3 to 4 ft 1.50
HYPERICUM aureum. Golden St. Johnswort. 3'-4' Yellow July-Aug., blue-green foliage, dense habit, good for margin of shrubbery. 18 to 24 in
2 to 3 tt
2 yr., 12 in
ILEX verticillata (prinos). WINTERBERRY. 6'-8' Bright red berries persisting to mid-winter—not eaten by birds. Prefers moist soil. 15 to 18 in
1½ to 2 ft

JASMINUM humile. ITALIAN JASMINE. 3' Yellow flowers.
JASMINUM humile. ITALIAN JASMINE. 3' Yellow flowers. 1½ to 2 ft\$.50 2 to 2½ ft\$.60 nudiflorum. WINTER JASMINE. 3' Yellow, April-May. 18 to 24 in50 2 to 2½ ft60
18 to 24 in
KERRIA japonica. Japanese Kerria. 4'-5' Golden yellow, June—Sept. Green branches useful for winter effects—graceful habit. 15 to 18 in
japonica fl. pleno. Double Japanese Kerria. 4'-5' Desirable double form. 18 to 24 in
LESPEDEZA bicolor. Bushclover. 5'-6' Rose and white flower—
July. Slender graceful shrub—attractive clover-like foliage. 18 to 24 in50 2 to 3 ft60 3 to 4 ft70 formosum (Desmodium penduliflorum). Purple Bushclover. 3'-4' Rosy purple flower conspicuous in Sept. Attractive shrub.
3'-4' Rosy purple flower conspicuous in Sept. Attractive shrub. 2 yr., 18 to 24 in
LIGUSTRUM amurense. Amur Privet. 14'-15' Half-evergreen,
very hardy. Each Per 10 Per 100 Each Per 10 Per 100
18 to 24 in25 1.60 13.00 3 to 4 ft40 3.25 24.00 2 to 3 ft35 2.50 16.00 4 ft50 4.00 32.00
Each Per 10 Per 100 18 to 24 in25
18 to 24 in35 2.50 16.00 3 to 4 ft50 4.00 32.00 2 to 3 ft40 3.25 24.00 4 ft60 5.00 40.00 ibota regelianum. True Spreading Regel Privet. 5'-6' Makes a splendid low dense hedge—also good in shrubbery or ever-
ibota regelianum. True Spreading Regel Privet. 5'-6' Makes
green plantings.
2 to 2 1/2 ft
Lodense. DWARF PRIVET. 2½' Compact dwarf form for hedgings. 15 in. Globes
ovalifolium. California Privet. g'-10' Most popular hedge plant. Per 10 Per 100 Per 1000 Per 10 Per 100 Per 1000
Per 10 Per 100 Per 1000 Per 100 Per 1000 Per 100
2 to 3 ft1.75 10.00 80.00 ovalifolium. Globe Form—Sheared.
ovalifolium. Pyramidal Form—Sheared.
Medium, 2 ft
1 yr., 12 in. head, first class
Each Per 10 Per 100 Each Per 10 Per 100
12 to 15 in35 3.00 24.00 18 to 24 in65 5.50 42.00 15 to 18 in50 4.00 32.00 vulgare. European Privet. 10'-12' Creamy-white flowers,
June-July. 1½ to 2 ft35 2.50 16.00 3 to 4 ft50 4.00 32.00
2 to 3 ft40 3.25 24.00 4 to 5 ft60 5.00 40.00
LONICERA alberti. Albert Honeysuckle. 2' Rose-pink fragrant flowers. May-June—bluish-green leaves, red berries.
bella albida. White Belle Honeysuckle. 8'-o' Grows vigorously.
Each Per 10 Per 100 Each Per 10 Per 100 2 to 3 ft40 3.25 24.00 4 to 5 ft60 5.00 40.00
2 to 3 ft40 3.25 24.00 4 to 5 ft60 5.00 40.00 3 to 4 ft50 4.00 32.00 fragrantissima. Winter Honeysuckle. 6'-8' Fragrant white
flower, April-May. Half-evergreen—graceful semi-drooping habit.
2 to 3 ft50 4.00 32.00 4 to 5 ft70 6.00 50.00 3 to 4 ft60 5.00 40.00
5.5.2.20 100 0100 20.00

LONICERA maacki. Amur Honeysuckle. 8'-9' Large white flowers, June, scarlet berries persisting until midwinter.
June, scarlet berries persisting until midwinter. Each Per 10 Per 100 Each Per 10 Per 100 2 to 3 ft\$.40 \$3.25 \$29.00 4 to 5 ft.\$.60 \$5.50 \$50.00 3 to 4 ft50 4.25 35.00 maacki podocarpa. Late Honeysuckle. 8'-9' Smaller pinkish
maacki podocarpa. LATE HONEYSUCKLE. 8'-9' Smaller pinkish flowers, better fruit than preceding, holds leaves longer.
2 to 3 ft
flowers, better fruit than preceding, holds leaves longer. 2 to 3 ft
flowers, June. Berries red or orange. 2 to 3 ft 40 3 to 4 ft 50 4 to 5 ft 65
nowers, June. Berries red or orange. 2 to 3 ft
18 to 24 in
Flowers and fruit freely produced. A most adaptable shrub. 2 to 3 ft40 3 to 4 ft50 4 to 5 ft60 thibetica. TIBETAN HONEYSUCKLE. 3'-4'
1½ to 2 ft
soil. Persisting gray berries.
12 to 15 in
PAVIA macrostachya. (See Aesculus—trees)
PHILADELPHUS avalanche. AVALANCHE MOCKORANGE. 3'-4' Graceful, arching habit. Blooms profusely. White flowers.
18 to 24 in40
Blooms profusely. White flowers, 18 to 24 in40 2 to 3 ft50 3 to 4 ft60 Bouquet blanc. White Bouquetmock Orange. 3' Low dense habit. Blooms freely, May-June. Small leaves. White flowers. 18 to 24 in45 2 to 2½ ft55 3 to 4 ft70 coronarius. Sweet Mockorange. 9'-10' White fragrant flowers,
18 to 24 in45 2 to 2½ ft55 3 to 4 ft70
May-June.
May-June. 2 to 3 ft
PHILADELPHUS coronarius aureus. Golden Leaf Mockorange.
4'-5' Dwarf compact form—yellow leaves. 12 to 15 in \$.50 18 to 24 in \$.70 15 to 18 in
15 to 18 in
White flowers.
White flowers. 2 to 3 ft40 3 to 4 ft50 4 to 5 ft65 gordoniana (Lewisi.) GORDON MOCKORANGE. 10'-12' White flowers
in June–July. Slightly fragrant—blooms freely. 2 to 3 ft
2 to 3 ft40 3 to 4 ft50 4 to 5 ft65
double white flowers sweetly scented—slender arching, branches.
18 to 24 in
nivalis. Snowbank Mockorange. 4'-5' White flowers.
18 to 24 in
2 to 3 ft
2 to 3 ft
2 to 2½ ft
PHOTINIA villosa. RED BERRIED PHOTINIA. 8'-9' Flowers white,
June, rich scarlet berries. Splendid foliage. 2 to 3 ft

ROSA blanda. Meadow Rose. 4'-5' Pink, May. Almost thornless red bark.
humilis. PASTURE ROSE. 3'-4' Pink, May-June. lucida. VIRGINIA ROSE. 5'-6' Pink, June. Red decorative fruits. multiflora. JAPANESE ROSE. 9'-10' White, June. Vigorous, free flowering and fragrant.
flowering and fragrant.
banks and general mass planting—good autumn coloring.
flowering and fragrant. nitida. Bristly Rose. 3'-4' Deep pink, June. Good for holding banks and general mass planting—good autumn coloring. palustris (carolina). SWAMP Rose. 6'-7' Pink, May-July. rubiginosa. SWEET BRIAR. 5'-6' Bright pink flowers, June. Good foliage with aromatic odor.
rubrifolia (terruginea). Redleaf Rose. 5'-6' Has distinct purplish- red leaves and bark—good winter subject. Prices of above.
red leaves and bark—good winter subject. Prices of above. 12 to 15 in\$.35 1½ to 2 ft\$.50 15 to 18 in40 2 to 2½ ft
2 yr
rosa hugonis. FATHER HUGO'S ROSE. 2 yr
1½ to 2 ft
18 to 24 in
vigorous. 18 to 24 in40 2 to 3 ft50 3 to 4 ft60
18 to 24 in 40 2 to 3 ft 50 3 to 4 ft 60 spinosissima. Scotch Rose. 3'-4' A dainty grower but compact—branches covered with soft thorns—has attractive small foliage. 12 to 15 in 50 15 to 18 in 60 18 to 24 in
wichuraiana. Wichurian Rose. White. Particularly useful for
covering banks or boulders. 1½ to 2 ft40 2 to 3 ft50 3 to 4 ft60
RUBUS odoratus. Flowering Raspberry. 5'-6' Rose colored fragrant flower produced all summer—good for covering shady banks.
2 to 3 ft
SAMBUCUS canadensis. AMERICAN ELDER. 8'-9' Fine for swampy places. Fragrant flowers, June–July, black fruits enjoyed by birds.
1½ to 2 ft
canadensis acutiloba. Cutleaf American Elder. 8'-g' Leaves finely cut.
2 to 3 ft
foliage. 2 to 3 ft
pubens. Scarlet Elder. 7'-8' Flowers in April-May. Bright red fruits ripen in June—very attractive. 2 to 3 ft50 3 to 4 ft
racemosa. European Red Elder. 7'-8' Bright red berries. 2 to 3 ft
SORBARIA aitchisoni. Kashmir False-spirea. 4'-5' Graceful, compound foliage—flowers creamy white, July-Sept.
2 to 3 it
arborea glabrata. Smooth False-spirea. 10'-12' 4 ft
Sorbifolia. Ural False-spirea. 4'-5' Fluffy heads of white flowers, June-Aug. 2 to 3 ft
60,11 th 01 6 00, 00

in indicate with the state of t
SPIREA arguta. GARLAND SPIREA. 5'-6' Small light green leaves—very free flowering, May. More vigorous than Thunbergi. 12 to 15 in\$ 35 15 to 18 in\$ 45 billardi. BILLARD SPIREA. 5'-6' Bright pink fluffy flower spikes, July-Oct. Valuable for dry places.
very free flowering May More vigorous than Thunbergi
12 to 15 in \$ 35 15 to 18 in \$ 45
billardi. BILLARD SPIREA. 5'-6' Bright pink fluffy flower spikes.
July-Oct. Valuable for dry places.
18 to 24 in35 2 to 3 ft45 3 to 4 ft55 bumalda. Bumalda Spirea. 3' Light pink flower, July-Sept. A
bumalda. Bumalda Spirea. 3' Light pink flower, July-Sept. A
good "tacing" chrub
18 to 24 in
bumalda Anthony Waterer. WATERER SPIREA. 3' Deeper rose-pink
than preceding—free flowering all summer. 12 to 15 in
12 to 15 in
15 to 18 in
1½ to 2 it
then preceding Playang lighter shade of sink
than preceding. Flowers lighter shade of pink.
18 to 24 in
more vigorous form of following variety Voung growth and
leaves red.
2 to 2½ ft
2 to 2½ ft
Purplish-green foliage when young. Blooms freely.
12 to 15 in
12 to 15 in
good dark green leaves persisting till late fall.
18 to 24 in
opulitolia. NINEBARK. 9'-10' Creamy white, June. Vigorous, good
for shade.
1½ to 2 ft
2 to 3 ft
2 to 3 ft 35 3 to 4 ft 50
opulifolia aurea. Goldleaf Ninebark. 0'-10' 2 to 3 ft
dark green foliage orange in autumn.
dark green foliage, orange in autumn. $1\frac{1}{2}$ to 2 ft
reevesiana. Reeves Spirea. 7'-8' Pure white, May-June. Grace-
ful arching habit—retains leaves till late.
1½ to 2 ft
thunherai THINDERG SPIRES 4'-5' Slender arching branches
thunbergi. Thunberg Spirea. 4'-5' Slender arching branches clothed with pure-white flowers, April-May. Small feathery
light green leaves. Valuable for seaside planting.
12 to 18 in 40 18 to 24 in 50 2 to 2½ ft 60
tomentosa. HARDHACK. 3'-4' Woolly rose-pink flowers, July-
Sept. Leaves brownish underside—good in masses for low
ground.
$18 \text{ to } 24 \dots 35 2 \text{ to } 3 \text{ ft.} \dots 45$
van houttei. Vanhoutte Spirea. $8'-g'$. White, May-June. Graceful habit—free flowering—very adaptable. $1\frac{1}{2}$ to 2 ft. $.35$ $2\frac{1}{2}$ to 3 ft. $.45$ 2 to $2\frac{1}{2}$ ft. $.40$ 3 to 4 ft. $.50$
Graceful habit—free flowering—very adaptable.
1½ to 2 ft
2 to 2½ ft
COMA DATATA DA 111 CO DO
STAPHYLEA colchica. Colchis Bladdernut. 10'-12' Flowers white, May-June. Fragrant—decorative seed pods. 2 to 3 ft
white, May-June. Fragrant—decorative seed pods.
2 10 3 1100 3 10 4 11 1,00
STEPHANANDRA flexuosa. Cutleaf Stephanandra. 5'-6' Grace-
ful compact habit—handsome foliage, similar to small maple-leaf.
18 to 24 in 50 2 to $2\frac{1}{2}$ ft 60 $2\frac{1}{2}$ to 3 ft 70
STYRAX japonica. JAPANESE STORAX. 12'-15' White bell-shaped
pendant flowers, June-July. Makes a handsome specimen.
18 to 24 in
2 to 3 ft
3 to 4 ft
·

SYMPHORICARPOS racemosus. Snowberry. 5'-6' Conspicuous
white berries, attractive foliage—best in moist half shade. 18 to 24 in\$.40 2 to 3 ft\$.50 3 to 4 ft\$.60 vulgaris. Coralberry. 4'-5' More compact than preceding
Coral red berries persisting throughout winter—for shady dry spots.
18 to 24 in 40 2 to 3 ft 50 3 to 4 ft 60
SYRINGA chinensis (rothomagensis). Chinese Lilac. 8'-9' Slender branches, graceful. Violet flowers in May—free flowering. 18 to 24 in
chinensis saugeana. Purple Chinese Lilac. 8'-9' Deep purple flowers.
18 to 24 in
white flowers, June–July. Handsome foliage. 18 to 24 in 50 2 to 3 ft 65 3 to 4 ft 80
iosikaea. Hungarian Lilac. o'-10' Violet flowers. June. Has
good deep green rough foliage. 18 to 24 in
pekinensis. Peking Lilac. 12'-15' Creamy white flowers. June.
Handsome foliage until late autumn. Grows quickly. 3 ft
18 to 24 in 50 2 to 3 tt 65 3 to 4 tt 80
persica alba. White Persian Lilac. g'-10' 18 to 24 in
villosa. Late Lilac. 7'-8' Pale-lilac, June. Fragrant—compact. 18 to 24 in
vulgaris. Common Purple Lilac. 10'-12' Blooms in early May. 18 to 24 in 40 2 to 3 ft 50 3 to 4 ft
vulgaris alba. Common White Lilac. 10'-12' 18 to 24 in 50 2 to 3 ft 60 3 to 4 ft
HYBRID LILACS
Alphonse Lavalle. Double light purple. (own roots) Charles the Tenth. Reddish purple, single. (own roots)
Michel Buchner. Double lilac. (own roots) Marie LeGraye. Single white. (own roots) Mme. Lemoine. Double white. (own roots)
Mme. Lemoine. Double white. (own roots)
Mine, Casimir Perrier, Double waite. (Own roots)
Rubra DeMarly. Single, light blue. (own roots)
President Grevy. Double blue. (own roots) Rubra DeMarly. Single, light blue. (own roots) Ludwig Spaeth. Single, reddish purple. (own roots) Wm. Robinson. Double, violet pink. (own roots)
Prices of all Hybrid Lilacs
Prices of all Hybrid Lilacs 1½ to 2 ft
TAMARIX africana. AFRICAN TAMARIX. 12'-14' Pink, April-May.
Feathery gray-green foliage. Effective near water—thrives at seashore.
2 to 3 ft50 3 to 4 ft60 4 to 5 ft75 gallica. French Tamarix. 8'-9' Lt. pink, May-July; blue-green
foliage. 2 to 3 ft
pentandra (aestivalis). Five-stamen Tamarix. 10'-12' Deep rose
flowers late. 2 to 3 ft
VACCINIUM corymbosum. Highbush Blueberry. 5'-6' 1½ to 2 ft

VIBURNUM acerifolium. MAPLE LEAF VIBURNUM. 4'-5' White, May-June. Black fruits—leaves turn beautiful pastel shades in
autumn—good for dry shady places.
18 in \$.50 2 ft \$.60 3 ft \$.70 americanum (oxycoco). American Cranberrybush. 8'-9' White,
americanum (oxycoco). American Cranberrybush. 8'-9' White,
Bright scarlet berries persisting all winter. 18 to 24 in
18 to 24 in
cassinoides. WITHE-ROD. 5'-6' White, June-July. Berries pink
changing to dark blue. Rich autumn coloring—splendid for
massing.
18 to 24 in
block outumn coloring purple and rad thrives in west sail
2 to 3 ft 55 3 to 4 ft 65 4 to 5 ft 75
dilatatum LINDEN VIRIUNIUM 8'-0' White May-June Persis-
tent scarlet showy berries. Handsome and valuable.
18 to 24 in
2 to 3 ft
lantana. WAYFARING TREE. 15'-18' White, May-June. Handsome
dark green wrinkled leaves. Berries red, changing to black.
18 to 24 in
dentatum. Arrowwood. 10'-12' White, May-June. Berries blueblack, autumn coloring purple and red—thrives in wet soil. 2 to 3 ft
lantana rugosum. Wrinkle Leaf Wayfaring-tree. 15'-18'
White. Has larger and more wrinkled leaves than preceding.
18 to 24 in
White. Has larger and more wrinkled leaves than preceding. 18 to 24 in
shining leaves. Blue-black fruits. Splendid for massing.
18 to 24 in
2 to 3 ft
molle. Kentucky Viburnum. 10'-12' Larger, darker green leaves.
otherwise similar to "dentatum."
1½ to 2 ft
2 to 3 ft
opulus. European Cranberry. 9'-10' Similar to American Cran-
berry but has smaller leaves and fruit.
$1\frac{1}{2}$ to 2 ft
opulus sterile. Common Snowball. 9'-10' Has showy round head
of white flowers, May-June. No fruits. 1½ to 2 ft55 2 to 3 ft70 3 to 4 ft85
1½ to 2 it
pubescens. Downy Viburnum. 8'-10'
18 to 24 in
prunifolium. BLACKHAW. 10'-12' White flowers, April-June-
Blue-black glaucous berries. Sturdy habit. Handsome shrub. 18 to 24 in
18 to 24 in
sieboldi. Siebold Viburnum. 9'-10' White, May-June. Berries
pink, changing to black. Handsome large dark green leaves.
sieboldi. Siebold Viburnum. o'-ro' White, May-June. Berries pink, changing to black. Handsome large dark green leaves. 18 to 24 in50 2 to 3 ft65 3 to 4 ft80
tomentosum. Doublefile Viburnum. 7'-8' Flat heads of white flowers, June. Berries red to black. Good foliage.
flowers, June. Berries red to black. Good foliage.
2 to 3 ft70 3 to 4 ft80
tomentosum plicatum. Japanese Snowball. $7'-8'$ Showy white flowers in balls, June. Handsome foliage, purple in autumn. 15 to 18 in
Howers in balls, June. Handsome foliage, purple in autumn.
10 to 18 iii
2 to 21/2 ft 75
VITEX agnus-castus. LILAC CHASTE-TREE. 4'-5' Dainty shrub—lilac
flowers, Aug.—Sept. Gray-green star-shaped leaves—prefers sun. 18 to 24 in35 2 to 3 ft45 3 to 4 ft55
18 to 24 in
WEIGELA Avel carriere. CARRIER WEIGELA. 8'-9' Red, yellow
throat. Tune.
2 to 3 ft

WEIGELA amabilis. Rose Weigela. 7'-8' Light Pink.
1½ to 2 ft\$.40 3 to 4 ft\$.60 2 to 3 ft50 4 to 5 ft75
candida. Snow Weigela. 7'-8' Large pure white flowers.
2 to 3 ft55 3 to 4 ft65 4 to 5 ft75
Desbois. Desbois Weigela. 6'-7' Deep rose—flowers profusely.
2 to 3 ft
Eva Rathke. Red Flowering Weigela. 4'-5' Carmine, June-
Aug. Most floriferous. $1\frac{1}{2}$ to 2 ft
floribunda. Crimson Weigela. 7'-δ' Crimson, June. Free flowering.
2 to 3 ft
Lavalle. LAVALLE WEIGELA. 7'-8' Bright Crimson.
2 to 3 ft
nana variegata. Dwarf Variegated Weigela. 4'-5' Pale pink
flower, variegated leaves.
18 to 24 in
2 to 3 ft
rosea. Pink Weigela. 7'-8' Abundant pink flowers. June
Vigorous grower. 1½ to 2 ft40 2 to 3 ft50 3 to 4 ft60
steltzneri. Steltzner Weigela. 6'-7' Dark rose—very profuse. 1½ to 2 ft40 2 to 3 ft50 3 to 4 ft65
Vanhoutte. VANHOUTTE WEIGELA. 7'-8' Carmine.
2 to 3 ft50 3 to 4 ft
ZANTHORHIZA apiifolia. YELLOWROOT. 2'-3' Good ground cover—will succeed on dry sandy soil, banks, etc.
12 to 15 in
12 to 10 11

Bush Roses

Each \$.85 Per 10 \$7.25 Per 100 \$65.00

Amelie de Grieff, light pink. Augustus Hartman, red. Betty, yellowish pink. Columbia, dark pink. Constance, yellow. Crimson Queen, red. Dora Hansen, lt. pink. Duchess of Wellington, yel. Etoile de France, red. Florence Pemberton, lt. pink. Gen. McArthur, red. George C. Waud, red. Gruss an Teplitz, red. Gustav Grunevald, dark pink. Harry Kirk, yellow. Hoosier Beauty, red.
H. V. Machin, red.
Jonkheer J. L. Mock, dk. pink.
Kaiserine A. Victoria, white.
Killarney Queen, dark pink.
Lady Alice Stanley, dk. pink. La Detroit, pink. Lady Hillingdon, yellow. Lady Pirrie, yellow shaded pink. Lady Ursula, lt. pink. La Tosca, lt. pink.

Los Angeles, yellow shaded pink. Louis Catherine Breslau, yellow shaded pink. Mad. Butterfly, lt. pink. Mad. C. Testout, dark pink. Mad. Edmee Metz, lt. pink. Mad. E. Herriot, yellow shaded pink. Mad. Jules Bouche, white. Madam Ravary, yellow. Milady, red. Miss Cynthia Forde, dk. pink. Lolita Armour, yellow shaded pink.
Mrs. Aaron Ward, yellow.
Mrs. A. R. Waddell, yellow shaded pink. Mrs. Charles Russell, dk. pink. Mrs. W. C. Miller, dk. pink. Ophelia, lt. pink. Radiance, dark pink. Red Radiance, red. Souv. de C. Pernet, yellow. \$1.00 each. White Killarney, white.

Hybrid Perpetual Roses

Frau Karl Druschki, White. George Ahrends, Pink. Magna Charta, Dark pink. Mrs. John Laing, Dark pink. Paul Neyron, Dark pink. Ulrich Brunner, Red.

Baby Ramblers

Edith Cavell, Crimson. Geo. Elgar, Yellow. Mrs. Cutbush, Pink. Orleans, Red. White Baby Rambler. Red Baby Rambler. Lafayette, Red. Yvonne Rabier, White.

Climbing Roses

Each .75 Per 10 6.75 Per 100 60.00

American Beauty, Carmine
American Pillar, Single red,
white center.
Crimson rambler, Crimson.
Dr. Van Fleet, Shell pink.
Dorothy Perkins, Pink.
Dorothy Perkins, White.

cover in shade.

Excelsa, Crimson.
Gardenia, Yellow.
Hiawatha, Single red.
Paul's scarlet climber, Large brilliant scarlet.
Silver moon, Semi-double white.

Vines

ACTINIDIA arguta. BOWER ACTINIDIA. 20'-30' Greenish white. July. Rich dark green foliage—yellow berries.
to 3 ft. \$.65 3 to 4 ft. \$.75 2 to 3 ft.....\$.65 AKEBIA quinata. FIVELEAF AKEBIA. 15'-20' Dainty beautiful vine, purple flower, May. Deep green leaves—persisting till winter. 3 yr..... AMPELOPSIS engelmanni. Englemann Creeper. 30'-40' A good autumn coloring. winter. CLEMATIS paniculata. Sweet Autumn Clematis. 20'-30' White fragrant flowers, Sept. 2 yr, No. 2.... .40 2 yr, No. 1... .50 3 yr, No. 1... .60 **EUONYMUS.** (See Evergreens)

HEDERA helix. English Ivy. 20'-50' Evergreen-good ground

LONICERA japonica (brachypoda). JAPANESE HONEYSUCKLE. 15'-20' Rapid grower and blooms freely from June to Sept. Useful for covering steep banks. Almost evergreen.
3 yr
Blooms freely, deliciously fragrant.
heckrotti. Everblooming Honeysuckle. 15'-20' Flowers purple
2 yr
LYCIUM barbarum. MATRIMONY-VINE. 10'-12' Violet flowers in June, bright red fruits. For banks and walls. 18 to 24 in
PUERARIA thunbergiana. Kudzu-vine. 40'-50' Growth remarkably rapid. Purple flowers in August. 1 yr
WISTERIA frutescens. American Wisteria. 20'-25' Lilac purple
flowers in short clusters in June. 2 to 3 ft
18 to 24 in
sinensis alba. White Chinese Wisteria. 40'-50' 18 in
Conifers and Evergreens
These have all been transplanted, most of them several times, giving ample room for full development, and frequently sheared to produce compact, symmetrical specimens. All balled and burlapped at the prices named, except where marked with a **.
ABIES cephalonica. Greek Fir. 60'-75' Has stiff shining dark green leaves. Handsome symmetrical specimen.
concolor. White Fir. 70'-80' Grows quickly and forms symmetrical beautiful specimen. Large gray-green needles. 18 in \$3.25 216 ft 5.75
2½ ft
bluish-green coloring. Prefers well drained situation. 1½ ft. 2.50 3 ft. 5.25 2 ft. 3.25 3½ ft. 7.25 2½ ft. 4.00
nordmanniana. Nordmann Fir. 60'-70' Grows slowly when young. Flat leaves, rich shining green above, silvery white beneath. 2 ft 4.75 2½ ft 6.50 3 ft 8.00

ANDROMEDA catesbaei (See Leucothoe and Pieris)

THIRD THE TOTAL TO	CREEKT CO.
AZALEA amoena. Japanese Azale. flowers, April-May. Leaves 6 to 8 in**\$1.00 8 to 10 in**1.25 hinodegiri. Red Japanese Azal leaves and looser growth than pink—effective in masses or 6 to 8 in.**1.35 8 to 10 in1.75 kaempferi. (See Shrubs)	EA. (Pot grown) 3'-4' Larger above, flowers very bright carmine-
REDREDIC ilicifolia Houry Dan	PPDPIX #1 61 TI-11 1:1 1
BERBERIS ilicifolia. Holly Bar persisting till new foliage app 15 to 18 in	ears—flowers yellow. 18 to 24 in
BIOTA orientalis. ORIENTAL ARBO	PRVITAE. 20'-25' Stiff columnar
habit bright group foliage by	ongo in winton good assent alast
15 to 18 in 1.00	3 ft
1½ ft 1.25	3½ ft
2 ft	4 ft
$2\frac{1}{2}$ ft	
15 to 18 in	GOLDSPIRE ARBORVITAE. 7'-8', bronze yellow in winter. Narrow
upright growth.	0.7/4
15 in. 2.00 18 in. 2.50 2 ft. 4.00	2½ ft
18 in 2.50	3 It
211	1 1 7
orientalis compacta. SIEBOLD ARE oval-shaped specimen. Good 12 in	BORVITAE. 3'-4' Forms a compact
oval-snaped specimen. Good	iresh green color.
12 111	10 m
orientalis elegantissima. Yello Assumes rich deep golden br columnar.	w Column Arborvitae. 7'-8' onze color in winter. Compact,
15 in 2.00	2 ft. 4.00 `
15 in	2½ ft 5.25
orientalic nana aurea REDCKWA	N COLDEN APPODVITAE 21/2'
orientalis nana aurea. Berckma A gem for dwarf planting—	-compact roundish shape warm
golden vellow foliage. Espec	cially good for formal work and
edging.	
6 to 8 in 1.25	12 in 2.00
8 to 10 in 1.50	12 in 2.00 15 in 2.50
6 to 8 in. 1.25 8 to 10 in 1.50 10 to 12 in 1.75	18 in 4.00
	•
BUXUS sempervirens. Box. (Bush	form) 12-15 Useful for formal
hedges.	Each Per 10 Per 100
8 to 10 in **hushy	65 5.75 40.00
8 to 10 in. **bushy	
12 in. ** "	1.25 9.75 72.50
15 in. "	1.50 11.50 105.00
18 in. "	2.00 16.00
18 in., sheared	T.10
2 ft., sheared	6.50
japonica globes. (clipped)	
16 to 18 in 9.75 18 to 20 in	11.50 20 to 22 in 13.75
Pyramidal. (clipped)	
28 in 9.75	32 in
suffruticosa. Truedwarf Box. 3	'-4' Extensively used for edging. Per 10 Per 100
3 in. **	1.75 9.75
4 in **	2.50 14.50
6 in **	5.75 24.00
8 in. **. 10 in. **.	8.00 57.50
10 in. **	12.00 80.00

CALLUNA. Scotch Heather. 1'-2' A splendid evergreen ground cover. Best in large masses on well-drained slopes. Each Per 10 Per 100
vulgaris alba. WHITE HEATHER vulgaris alporti. Alport Heather Deep rose. 6 to 8 in.**\$.40 \$3.50 \$32.50 \$35.00 \$35.
CHAMAEDAPHNE calyculata. LEATHERLEAF. 3'-4' White flowers in April. Leaves persist throughout winter. Attractive, useful. 12 to 15 in 1.25 15 to 18 in 1.75 18 to 24 in 2.25
COTONEASTER acutifolia. Peking cotoneaster. 5'-6' 1½ to 2 ft
microphylla. ROCKSPRAY. I½'-2' Very small leaves, very deep green. 12 in 1.00 18 in 1.40 15 in 1.25 2 ft 1.75 simonsi. 6'-8' Almost evergreen. Rather loose habit. 1.75 15 in 1.00 18 in 1.35 2 ft 1.75
CRYPTOMERIA lobbi compacta. CAVE CRYPTOMERIA. 15'-20' Forms narrow irregular column—compact and picturesque. Rich winter color, bronze-green. Prefers moist well-drained location. 18 in 2.50 2 ft 3.25 2½ ft 4.50
DAPHNE cneorum. Rose Daphne. I' Gray-green foliage—low spreading. Pretty pink flowers in April-May. Delightful fragrance. 8 in
EUONYMOUS japonica. JAPANESE EUONYMUS. 5'-6' Lustrous deep green leaves. 8 to 10 in.** .55 12 to 15 in. 1.25 10 to 12 in.** .80 15 to 18 in. 1.50
patens (sieboldianus.) SPREADING EUONYMUS. 6'-8' Vigorous grower, forming broad, rather loose shrub, leaves persisting until late winter. Ornamental fruits. Effective among denser conifers. 12 in.**
radicans. WINTERCREEPER. Climbing to 15 ft. Self-clinging vine. Good for covering low walls, also useful for under planting. 8 to 12 in.** 2 yr. bushy .35 12 to 15 in.** 2 yr., bushy .50
radicans acutus. Sharpleaf Wintercreeper. A graceful form with long, narrow leaves, white veins, purplish underneath. 15 in., 2 yr.**
leaves. 12 to 15 in.** 2 yr50 15 to 18 in.** 3 yr60
radicans minimus. Baby Wintercreeper. 2'-3' Has tiny evergreen leaves and a dainty trailing habit. Charming rock subject 6 to 8 in
and marked yellowish white and pink. Clinging vine, 8 to 12 in.** 2 yr., bushy .35 12 to 15 in.** 3 yr., bushy .45 radicans vegetus. BIGLEAF WINTERCREEPER. 3'-4' Bushy interesting growth. Leaves round dull green. Bright scarlet fruits
radicans vegetus. BIGLEAF WINTERCREEPER. 3-4' Bushy interesting growth. Leaves round, dull green. Bright scarlet fruits freely produced. Handsome among evergreens. 12 to 15 in.** 2 yr55 15 to 18 in.** 3 yr., bushy .80 radicans vegetus. (Grown from seedlings). Does not fruit so freely.
3 vr.**

ILEX crenata. Japanese Holly. 8'-10' Box-like leaves, rich deep green and leathery. Stiff, branching—a good hedge. Black
herries
15 in\$2.00 18 in\$2.50 2 ft\$3.75 crenata microphylla. SMALL LEAF JAPANESE HOLLY. 6'-8' Smalle
leaves and more hardy than preceding. More compact habit
15 in
leaves and more hardy than preceding. More compact habit 15 in
glabra. INKBERRY. 5'-6' Shining dark green leaves purplish in
Sum.
12 in 1.25 15 in 1.75 18 in 2.00 opaca. American Holly. 25'-30' Does best in moist partially shaded place. Rather difficult to transplant.
shaded place. Rather difficult to transplant.
2 ft. 4.00 3 ft. 6.50 2½ ft. 4.75 3½ ft. 8.00
JUNIPERUS canadensis. (See Communis.) chinensis. Chinese Juniper. 15'-20' Formal columnar outline
grav-green tollage of two types.
18 in 2.50 2 ft 3.25 2½ ft 4.00 chinensis albo variegata. White Leaf Chinese Juniper. 6'-8
Light glaucous foliage with creamy branches interspersed Formal but useful in low plantings.
Formal but useful in low plantings.
12 in
18 in 2.75
chinensis columnaris. Columnar Chinese Juniper. Grows rapidly
forming tall, narrow column of gray-green foliage. Spire-like effect. Very useful in evergreen planting.
2 ft 4.00 2½ ft 4.75 3 ft 5.75 chinensis neaboriensis. Conical Chinese Juniper. 7'-8' Very
chinensis neaboriensis. CONICAL CHINESE JUNIPER. 7'-8' Very formal narrow pyramid. Prickly leaves. Useful accent plant 18 in. 2.00 2½ ft. 3.75 2 ft. 4.75 chinensis oblonga. 7'-8' Forms broad irregular pyramid with feath ery branches. Grayish foliage shaded purple in winter. 15 in. 1.75 2½ ft. 4.50 18 in. 2.50 3 ft. 6.00 2 ft. 3.75 chinensis offizeriana. PELIZER JUNIPER. 5'-6' Broad bushy habit
18 in
chinensis oblonga. 7'-8' Forms broad irregular pyramid with feath
ery branches. Grayish foliage shaded purple in winter.
18 in
2 ft 3.75
chinensis pfitzeriana. PFITZER JUNIPER. 5'-6' Broad bushy habit
able hardy evergreen, highly recommended.
chinensis pfitzeriana. Pfitzer Junifer. 5'-6' Broad bushy habit Gray-green foliage giving feathery appearance. A most adapt able hardy evergreen, highly recommended. 1½ ft. 2.75 2½ ft. 5.75 2 ft. 4.00 3 ft. 8.00
2 ft 4.00 3 ft 8.00 chinensis sargenti. Sargent Juniper. 1½' Prostrate habit. Grass green foliage. A valuable ground cover and rock plant. 10 to 12 in 2.50 12 to 15 in 3.25 15 to 18 in 4.00
green foliage. A valuable ground cover and rock plant.
communis. Common Juniper. 2'-2½' Forms a vase-shaped bush
communis. COMMON JUNIPER. 2'-2½' Forms a vase-shaped bush 12 to 15 in 1.25 18 to 24 in 2.25 15 to 18 in 1.75 2 ft 3.25
15 to 18 in
ing habit. Golden foliage, particularly bright in spring. 12 in 1.75 15 in 2.50 18 in 2.75
12 in 1.75 15 in 2.50 18 in 2.75
communis canadensis. Canada Juniper. 2½'-3' Forms low vase shaped bush. Leaves dark green above, bluish beneath.
12 in
12 in
communis cracovica. Polish Juniper. 4'-5' Upright, branching
from ground, making very narrow column. 12 in 1.75 15 in 2.00 18 in 2.50
12 m 100 10 m 2.00 10 m 2.00

JUNIPERUS communis hibernica. IRISH JUNIPER. 7'-8' A very narrow
12 in. \$1.00 2 ft. \$2.25 15 in. \$1.25 2½ ft. 2.75
15 in. 1.25 2½ ft. 2.75 18 in. 1.75
communis depressa. Prostrate Juniper. $i'-i\frac{1}{2}$ Branches spread almost along ground—a usful ground cover and rock plant. 12 in. 1.25 2 ft. 2.75 15 in. 1.75 2½ ft. 4.50 18 in. 2.00 communis suecica nana. Dwarf Swedish Juniper. $3'-3\frac{1}{2}$ A
almost along ground—a usful ground cover and rock plant.
12 in
15 in
18 in 2.00
communis suecica nana. Dwarf Swedish Juniper. 3'-31/2' A
narrow compact column of slow growth.
narrow compact column of slow growth. 12 in
conferts (literalis) Supply Living 1/2/1/2 Prostrate habit use
ful on candy places or seaside planting. Large leaves
15 in
excelsa stricta. Spiny Greek Tuniper. 4'-5' Compact. well-
shaped pyramid. Foliage gray-green. Most useful for formal
effects.
10 in
12 in
15 in 2.50 2½ it 5.75
sabina norizontalis. CREEPING JUNIPER. $I'-I'/2'$ Branches trail
15 in 1.75 18 in 2.95 2 ft 2.95
10 in. 1.75 18 in. 4.00 12 in. 2.00 2 ft. 4.75 15 in. 2.50 2½ ft. 5.75 sabina horizontalis. Creeping Juniper. 1'-1½' Branches trail along ground. Good for rockwork and ground covering. 15 in. 1.75 18 in. 2.25 2 ft. 3.25 horizontalis douglasi. Waukegan Juniper. 1'-1½' Long branches trailing along ground. Steely-blue foliage. A splendid ground cover also effective among rock. Distinct purple hue in winter.
trailing along ground. Steely-blue foliage. A splendid ground
cover, also effective among rock. Distinct purple hue in winter.
12 in 1.75 15 in 2.50 18 in 3.25
japonica. Japanese Juniper. 3'-4' Low grower, spreading branches,
cover, also effective among rock. Distinct purple hue in winter. 12 in 1.75 15 in 2.50 18 in 3.25 japonica. Japanese Juniper. 3'-4' Low grower, spreading branches, dark green scaly leaves. Adapted to rock planting. 8 to 10 in 1.35 15 in 2.25 japonica aurea variegata. Golden Variegated Juniper. 2'-2½'
8 to 10 m
Useful for low plantings.
12 in 2.00 15 in 2.50 18 in 2.75
12 in 2.00 15 in 2.50 18 in 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches
12 in 2.00 15 in 2.50 18 in 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush
12 in 2.00 15 in 2.50 18 in 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush
12 in 2.00 15 in 2.50 18 in 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush
12 in 2.00 15 in 2.50 18 in 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in 1.75 15 in 2.25 18 in 3.25 sabina tamariscifolia. TAMARIX JUNIPER. I'-I'-1'-1'-1'-1'-1'-1'-1'-1'-1'-1'-1'-1'-1'
12 in 2.00 15 in 2.50 18 in 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in 1.75 15 in 2.25 18 in 3.25 sabina tamariscifolia. TAMARIX JUNIPER. I'-I'-1'-1'-1'-1'-1'-1'-1'-1'-1'-1'-1'-1'-1'
12 in 2.00 15 in 2.50 18 in 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in 1.75 15 in 2.25 18 in 3.25 sabina tamariscifolia. TAMARIX JUNIPER. I'-I'-1'-1'-1'-1'-1'-1'-1'-1'-1'-1'-1'-1'-1'
12 in 2.00 15 in 2.50 18 in 2.75 sabina. Savin 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in 1.75 15 in 2.25 18 in 3.25 sabina tamariscifolia. Tamarix Juniper. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in 1.75 15 to 18 in 2.50 12 to 15 in 2.00 18 in 4.00 virginalis globosa. Globe Chinese Juniper. I'/2'-2' Thin round branchlets scaly fresh green leaves. Useful for foundation
12 in 2.00 15 in 2.50 18 in 2.75 sabina. Savin 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in 1.75 15 in 2.25 18 in 3.25 sabina tamariscifolia. Tamarix Juniper. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in 1.75 15 to 18 in 2.50 12 to 15 in 2.00 18 in 4.00 virginalis globosa. Globe Chinese Juniper. I'/2'-2' Thin round branchlets scaly fresh green leaves. Useful for foundation
12 in 2.00 15 in 2.50 18 in 2.75 sabina. Savin 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in 1.75 15 in 2.25 18 in 3.25 sabina tamariscifolia. Tamarix Juniper. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in 1.75 15 to 18 in 2.50 12 to 15 in 2.00 18 in 4.00 virginalis globosa. Globe Chinese Juniper. I'/2'-2' Thin round branchlets scaly fresh green leaves. Useful for foundation
12 in 2.00 15 in 2.50 18 in 2.75 sabina. Savin 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in 1.75 15 in 2.25 18 in 3.25 sabina tamariscifolia. Tamarix Juniper. I'-I'/2' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in 1.75 15 to 18 in 2.50 12 to 15 in 2.00 18 in 4.00 virginalis globosa. Globe Chinese Juniper. I'/2'-2' Thin round branchlets scaly fresh green leaves. Useful for foundation
12 in. 2.00 15 in. 2.50 18 in. 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in. 1.75 15 in. 2.25 18 in. 3.25 sabina tamariscifolia. TAMARIX JUNIPER. 1'-1½' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. GLOBE CHINESE JUNIPER. 1½'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00
12 in
12 in. 2.00 15 in 2.50 18 in 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in. 1.75 15 in. 2.25 18 in. 3.25 sabina tamariscifolia. TAMARIX JUNIPER. 1'-1½' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. GLOBE CHINESE JUNIPER. 1½'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. REDCEDAR. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed
12 in. 2.00 15 in 2.50 18 in 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in. 1.75 15 in. 2.25 18 in. 3.25 sabina tamariscifolia. TAMARIX JUNIPER. 1'-1½' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. GLOBE CHINESE JUNIPER. 1½'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. REDCEDAR. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed
12 in
12 in
12 in. 2.00 15 in. 2.50 18 in. 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in. 1.75 15 in. 2.25 18 in. 3.25 sabina tamariscifolia. TAMARIX JUNIPER. 1'-1½' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. GLOBE CHINESE JUNIPER. 1½'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. REDCEDAR. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 3 ft. 4.50
12 in. 2.00 15 in. 2.50 18 in. 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in. 1.75 15 in. 2.25 18 in. 3.25 sabina tamariscifolia. TAMARIX JUNIPER. 1'-1½' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. GLOBE CHINESE JUNIPER. 1½'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. REDCEDAR. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 3 ft. 4.50
12 in. 2.00 15 in. 2.50 18 in. 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in. 1.75 15 in. 2.25 18 in. 3.25 sabina tamariscifolia. TAMARIX JUNIPER. 1'-1½' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. GLOBE CHINESE JUNIPER. 1½'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. REDCEDAR. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 3 ft. 4.50
12 in. 2.00 15 in. 2.50 18 in. 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in. 1.75 15 in. 2.25 18 in. 3.25 sabina tamariscifolia. TAMARIX JUNIPER. 1'-1½' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. GLOBE CHINESE JUNIPER. 1½'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. REDCEDAR. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 3 ft. 4.50 virginiana cannarti. CANNART CEDAR. 12'-15' Deed blue-green foliage—dense growing columnar form. 2 ft. 2.75 3 ft. 5.25 2½ ft. 3.75 4 ft. 7.55
12 in. 2.00 15 in. 2.50 18 in. 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in. 1.75 15 in. 2.25 18 in. 3.25 sabina tamariscifolia. TAMARIX JUNIPER. 1'-1½' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. GLOBE CHINESE JUNIPER. 1½'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. REDCEDAR. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 3 ft. 4.50 virginiana cannarti. CANNART CEDAR. 12'-15' Deed blue-green foliage—dense growing columnar form. 2 ft. 2.75 3 ft. 5.25 2½ ft. 3.75 4 ft. 7.55
12 in. 2.00 15 in. 2.50 18 in. 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in. 1.75 15 in. 2.25 18 in. 3.25 sabina tamariscifolia. TAMARIX JUNIPER. 1'-1½' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. GLOBE CHINESE JUNIPER. 1½'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. REDCEDAR. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 3 ft. 4.50 virginiana cannarti. CANNART CEDAR. 12'-15' Deed blue-green foliage—dense growing columnar form. 2 ft. 2.75 3 ft. 5.25 2½ ft. 3.75 4 ft. 7.55
12 in. 2.00 15 in. 2.50 18 in. 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in. 1.75 15 in. 2.25 18 in. 3.25 sabina tamariscifolia. TAMARIX JUNIPER. 1'-1½' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. GLOBE CHINESE JUNIPER. 1½'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. REDCEDAR. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 3 ft. 4.50 virginiana cannarti. CANNART CEDAR. 12'-15' Deed blue-green foliage—dense growing columnar form. 2 ft. 2.75 3 ft. 5.25 2½ ft. 3.75 4 ft. 7.55
12 in. 2.00 15 in. 2.50 18 in. 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in. 1.75 15 in. 2.25 18 in. 3.25 sabina tamariscifolia. TAMARIX JUNIPER. 1'-1½' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. GLOBE CHINESE JUNIPER. 1½'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. REDCEDAR. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 3 ft. 4.50 virginiana cannarti. CANNART CEDAR. 12'-15' Deed blue-green foliage—dense growing columnar form. 2 ft. 2.75 3 ft. 5.25 2½ ft. 3.75 4 ft. 7.55
12 in. 2.00 15 in. 2.50 18 in. 2.75 sabina. SAVIN. 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. 12 in. 1.75 15 in. 2.25 18 in. 3.25 sabina tamariscifolia. TAMARIX JUNIPER. 1'-1½' Flat, spreading, making compact but soft texture in low evergreen planting. 10 to 12 in. 1.75 15 to 18 in. 2.50 12 to 15 in. 2.00 18 in. 4.00 virginalis globosa. GLOBE CHINESE JUNIPER. 1½'-2' Thin round branchlets, scaly fresh green leaves. Useful for foundation planting. 8 in. 1.35 15 in. 2.50 10 in. 1.75 18 in. 3.25 12 in. 2.00 virginiana. REDCEDAR. 25'-30' Forms a dense column, deep green foliage—purplish in winter. Useful in formal work or mixed plantings. 18 in. 1.25 4 ft. 5.75 2 ft. 2.25 5 ft. 8.00 3 ft. 4.50

JUNIPERUS virginiana pendula. Weeping Redcedar. 8'-10' Branches lengthen and droop over giving a picturesque effect. 2½ ft\$3.25 3 ft\$4.75 3½ ft\$6.00
virginiana schotti. Schott Redcedar. 12'-15' Has fresh green foliage. Compact formal columnar habit.
2 ft 2.75 2½ ft 3.75 3 ft 5.25 virginiana tripartita. FOUNTAIN REDCEDAR. 4′-5′ A bushy half upright grower with feathery branches. 2 ft 3.25 2½ ft 4.50 3 ft 5.75 waukegan. (See Horizontalis Douglasi)
KALMIA latifolia. MOUNTAIN LAUREL. 5'-7' Nursery Grown. Most effective in June when the clusters of pink flowers open. Good foliage, likes shade. $12 \text{ to } 18 \text{ in.} \qquad 1.75 \qquad 2 \text{to } 2\frac{1}{2} \text{ ft.} \qquad 2.75 \\ 18 \text{ to } 24 \text{ in.} \qquad 2.50 \qquad 2\frac{1}{2} \text{ to } 3 \text{ft.} \qquad 3.75 \\ \text{Collected stock—price on application.}$
LEUCOTHOE catesbaei. DROOPING LEUCOTHOE. 3'-4' Attractive white flowers, May. Handsome lustrous leaves, rich autumn color. Splendid for under planting in shade. 12 to 18 in 1.35 18 to 24 in 2.00 2 to 2½ ft 2.50
LEIOPHYLLUM buxifolium. SANDMYRTLE. 18" Small pale pink flower in June Leaves are small. Good ground cover or rock plant.
8 to 10 in 1.25 10 to 12 in 2.00 12 to 15 in 2.50
MAHONIA aquifolium. Oregon Hollygrape. 4'-5' Shining green leaves, rich scarlet in autumn. Yellow flowers in May. Best in half shade.
12 in
PICEA canadensis. WHITE SPRUCE. 50'-60' Silvery foliage—develops into shapely specimen of close texture.
12 in 1.35 18 in 2.00 15 in 1.75 2 ft 2.50
into shapely specimen of close texture. 12 in. 1.35 18 in. 2.00 15 in. 1.75 2 ft. 2.50 canadensis albertiana. Alberta Spruce. 2½'-3' Extremely compact, slow-growing variety, valuable where small scale is desired. 10 in. 4.00 1½ ft. 7.25
10 in. 4.00 1½ ft. 7.25 12 in. 4.75 2 ft. 9.50 15 in. 5.75
excelsa. Norway Spruce. 80'-100' A good windbreak. 18 in. 1.35 2½ ft. 2.75 2 ft. 2.00 3 ft. 4.00 excelsa conica. Arrowhead Norway Spruce. 6'-7' Grows slowly.
2 ft
Compact and symmetrical—good for foundation planting.
15 in. 2.50 2 ft. 4.00 orientalis
men. Deep green glossy needles. Graceful habit—slow grower.
excelsa comica. Arrowhead Norway Spruce. 6'-7' Grows slowly. Compact and symmetrical—good for foundation planting. 12 in. 2.00 18 in. 3.25 15 in. 2.50 2 ft. 4.00 orientalis. Oriental Spruce. 50'-60' Splendid symmetrical specimen. Deep green glossy needles. Graceful habit—slow grower. 15 in. 2.50 2½ ft. 4.75 18 in. 2.75 3 ft. 5.75 2 ft. 3.75 pungens. Colorado Spruce. 60'-80' Branches in distinct whorls, forming hardsome lawn specimen.
pungens. Colorado Spruce. 60'-80' Branches in distinct whorls, forming handsome lawn specimen.
18 in 2.00 2 ft 3.25
PIERIS japonica. Japanese Andromeda. 4'-5' Thick shiny leaves turning bronze in winter. Drooping clusters of small white flowers open in May. Grows slowly—best in moist, partially shaded place.
12 in

PINUS austriaca (nigra). Austrian Pine. 60'-70' Rich dark green,
vigorous, dense grower. Good for background—thrives at seashore. 2 ft\$2.50 2½ ft\$3.25 3 ft\$4.75 cembra. Swiss Stone Pine. 20'-25' Thin bluish-green needles and close growth give soft texture. Symmetrical blunt pyramid
2 ft\$2.50 2½ ft\$3.25 3 ft\$4.75
close growth give soft texture Symmetrical blunt overmid
12 in 2.50 18 in
15 in
densifiora. JAPANESE RED PINE. 40'-50' Long bright-green needles
—succeeds well at seashore.
1½ to 2 ft 2.00 2½ to 3 ft 3.00 2 to 2½ ft 2.50 3 to 4 ft 4.50 densifiora umbraculifera. Japanese Umbrella Pine. 3'-4' A dwarf variety in which the branches form a flat-topped table-like
densiflora umbraculifera. JAPANESE UMBRELLA PINE. 3'-4' A
dwarf variety in which the branches form a flat-topped table-like
bush. Rather curious but a useful dwarf pine.
flexilis. Limber Pine. 20'-40' Bluish or dark-green leaves. Good
for rocky places. Grows slowly.
18 in
2 ft 3.25 3 ft 5.25
montana mughus. Mugho Pine. 2½'-3' Forms a round-topped
12 in 2.25 18 in 4.00
15 in
resinosa. RED PINE. 50'-60' Rich green stiff leaves. Reddish
brown bark. Vigorous, symmetrical grower.
ZII 2.90 Z½ II 3.20 3 II 4.70
for dry, poor soil and seashore planting—quick grower.
2½ ft
3 ft 3.25 5 ft 5.75
bush. Rather curious but a useful dwarf pine. 12 in
useful pine. Very picturesque when old. 2 ft
sylvestris. Scotch Pine. 60'-70' Rather short blue-green twisted
needles. Does well on poor soils. Picturesque when old. 2 ft 2.00 2½ ft 2.75 3 ft 4.00
2 ft 2.00 2½ ft 2.75 3 ft 4.00
RETINOSPORA ericoides. HEATH RETINISPORA. 3'-4' Has heather-like leaves, giving woolly effect. Forms a round, broad bush. 12 in. 1.10 2 ft. 3.25 15 in. 1.75 2½ ft. 4.50 18 in. 2.00
like leaves, giving woolly effect. Forms a round, broad bush.
12 in
15 in
ing from ground Rhuish-green foliage
18 in 2.50 2 ft 3.25 2½ ft 4.00
obtusa. Hinoki Cypress. 15'-20' Dark green lustrous foliage-
leptoclada. ANDELY CYPRESS. 5'-0' Broadly columnar habit branching from ground. Bluish-green foliage. 18 in
15 to 18 in
2 ft 2.75 3 It
ohtusa compacta FOOTBALL CURRESS 21/1 4/ Almost substigation
obtusa compacta. FOOTBALL CYPRESS. 2½'-4' Almost spherical in shape—good green during winter. Useful for foundation. 12 in
12 in 1.75 15 in 2.75 18 in 4.00
obtusa crippsi. CRIPPS GOLDEN CYPRESS. 10'-12' Particularly
good golden leaved form. Slow growing—hardy.
obtusa crippsi. Cripps Golden Cypress. 10'-12' Particularly good golden leaved form. Slow growing—hardy. 12 in 2.00 15 in 2.50 18 in 2.75 obtusa gracilis. Slender Hinoki Cypress. 12'-15' Narrow irregular pyramid, rich dark green foliage. Slow grower. 15 in 2.50 2 ft 4.00 18 in 3.25 2½ ft 4.75 obtusa gracilis compacta. Compact Hinoki Cypress. 4'-5' Very slow and compact grower. Roughly pyramid in outline.
15 in 2.50 2 ft 4.00
18 in
obtusa gracilis compacta. Compact Hinoki Cypress. 1/-5' Very
slow and compact grower. Roughly pyramid in outline. 15 in 2.75 18 in 4.00 2 ft 5.25
15 in 2.75 18 in 4.00 2 ft 5.25

RETINOSPORA obtusa nana.	DWARF HINOKI CYPRESS. 2'-21/2' little mass, interesting and useful
rorms a dense irregular	little mass, interesting and useful
for rock gardens.	0 10.
8 in	0 10 in \$2.50
obtusa nana aurea. DWARF	Golden Hinoki Cypress. 2'-21/2' A
golden leaved form of pre	eceding 2.75 18 in 4.00
10 in 2.50 15 in .	2.75 18 in 4.00
obtusa youngi. Young Goldi	EN HINOKI CYPRESS. 12'-15' Graceful
loose habit. Good const	EN HINOKI CYPRESS. 12'-15' Graceful ant light yellow foliage on outside of
bush.	
15 in 2.0 18 in 2.7	0 2½ ft 4.75
18 in 2.7	5 3 ft 5.75
2 ft 3.7	5
nisifera. SAWARA CVPRESS 2	5'-35' Quick grower, loosely pyramidal.
15 in 2.0	$0 2\frac{1}{2}$ ft
11/4 ft 2.5	0 3 ft 5.75
1½ ft	5 10
picifera aurea Corpen SAW	ADA CYPRESS 25/ 25/ Foliogo bright
pisitera aurea. Golden SAW	ARA CYPRESS. 25'-35' Foliage bright
yellow especially in sprin	g. Branches droop when older.
15 in 2.0	0 2½ ft
18 in 2.7	5 3 ft
2 ft 4.0	0
plumosa. Plume Cypress.	25'-35' Forms a dense cone of fine
texture. Useful for she	aring into formal shapes. 0 2½ ft. 4.50 0 3 ft. 5.75
15 in 2.0	0 2½ ft
1½ ft	0 3 ft
2 ft 3.2	25
	LUME CYPRESS. 20'-25' Has yellow
	LUME CYPRESS. 20 -25 Has yellow
leaves.	5 9 ft harden 100
10 111	5 2 ft. bushy 4.00 5 2½ ft
18 III., Dusny 2.1	5 2½ It 4.75
plumosa lutescens. Dwarf	YELLOW PLUME CYPRESS. 21/2'-3'
Forms a low broad rou	nd-topped bush; bright yellow tipped
branchlets.	
10 in 1.7	5 15 in
12 in 2.2	5 15 in 2.75 5 18 in 4.00
filifera THREAD CYPRESS	15'-20' Has long, stringy, drooping
hranches and bright or	een foliage—graceful and decorative
19 in 17	75 9 ft 450
15 in 90	0 21/f+ 5.95
10 in 2.0	$ \begin{array}{llllllllllllllllllllllllllllllllllll$
10 111	5 5 It
filifera aurea. GOLDEN THRE	AD CYPRESS. 10'-12' Very bright con-
spicuous golden yellow.	Grows more slowly than preceding.
10 to 12 in 2.2	25 15 in
12 in 2.7	75 18 in 3.75
filifera aurea nova. VARIEGAT	ED THREAD CYPRESS. 10'-12' Branches
are variegated green and	vellow
15 in	75 18 in 3.25
aguamana maitabi Maymay N	fore Company and and Polices blue
squarrosa veitchi. VEITCH IV	Moss Cypress. 25'-30' Foliage blue-
gray, feathery and dense	, giving soft woolly appearance. Broad
pyramidal outline when	young.
12 in 1.3	5 2 ft., bushy 3.75
15 in 2.0	00 2½ ft
$1\frac{1}{2}$ ft., bushy 2.7	young. 5 2 ft., bushy 3.75 100 2½ ft. 4.75 175 3 ft. 6.50
squarrosa sulphurea. Sulph	ur Moss Cypress. 20'–25' Similar in
growth to Veitch's but h	as light yellow tips.
12 in 1.3	75 2 ft
15 in 2.0	00 2½ ft 4.75
18 in 2.5	75
10 III	1
thyoides. WHITECEDAR. ITT	egular slender outline, bluish-gray fra-
grant foliage purplish in	winter. Valuable for low marshy places. 75 4 ft 7.50
3 ft	(5 4 It
3½ ft 6.5	50 5 ft 8.75

All our Rhododendrons are compact NURSERY GROWN plants. Prises on collected stock will be given on application.

RHODODENDRON. Hybrid Rhododendron. 3'-8'	
Album elegans	
Album grandiflorum. 2 ft\$ 6.00	
Atrosanguineum. 2½ ft	
Boule de neige. 3 ft	
Catawbiense grandiflora alba. 3½ ft	
Delicatissimum. 4 ft	
Everestianum. 4½ ft	
Delicatissimum. 4 ft. 15.00 Everestianum. 4½ ft. 18.00 Lee's Dark purple. 5 ft. 21.00	
Roseum elegans.	
carolinianum. CAROLINA RHODODENDRON. 4'-6' Pink flower	rs,
May-June. Compact, bushy. Best in moist, shady place	s.
May-June. Compact, bushy. Best in moist, shady place 12 to 18 in	
, 18 to 24 in 3.25 2½ to 3 ft 5.25	
catawbiense. CATAWBE RHODODENDRON. 0'-9' Large rosy-pur	ple
flowers, May-June. Deep green leaves, prefers half-shade. 12 to 18 in 2.75 2 to 2½ ft 4.00 18 to 24 in 3.75 2½ to 3 ft 4.50 maximum. Rosebay Rhododendron. 8'-12' Beautiful light p flowers freely produced in May-June. Large, handsome folia	
12 to 18 in	
18 to 24 in 3.75 2½ to 3 it 4.50	
maximum. Rosebay Rhododendron. 8'-12' Beautiful light p	ınk
flowers freely produced in May-June. Large, handsome folia	ge,
1 to 1½ tt 2.00 2½ to 3 tt 4.00	
1 to 1½ ft. 2.00 2½ to 3 ft. 4.00 1½ to 2 ft. 2.50 3 to 4 ft. 4.75 2 to 2½ ft. 3.25 4 to 5 ft. 6.75	
2 to 2½ it 3.23 4 to 3 it 0.73	_
TAXUS baccata. Shortleaf English Yew. 3'-5' Compact, uprig Stiff dark green leaves crowded on branches.	ht.
Stiff dark green leaves crowded on branches.	
15 in	
15 in	een
leaves.	
15 in	
baccata repandens. Spreading English Yew. 1½'-2' Spread	ing
horizontal branches, dark blue-green leaves. Valuable for	low
planting.	
12 in 2.00 15 in 2.75 18 in 4.00 canadensis. Canada Yew. 2'-2'y' Spreading habit, bronzy	in
winter Prefers shade—good for underplanting	111
winter. Prefers shade—good for underplanting. 12 in	
cuspidata TAPANESE VEW 4'-5' (Spreading form) Rich d	ark
green leaves Spreading bushy Valuable for foundat	ion
planting.	1011
12 in 2.00 2 ft 5.75	
12 in	
18 in 4.00	
cuspidata brevifolia. DWARF JAPANESE YEW. 2'-3' Broad th	ick
leaves, blackish green. Slow growing, irregular spreading.	
8 in	
10 in., bushy 1.90 18 in 4.50	
15 in	
THUIA Lobbi atrovirens. Rich shining deep-green fleshy leaves.	
18 in 2.50 2 ft 3.75 2½ ft 5.00	
occidentalis. American Arborvitae. 15'-30' Slender pyras	mid
THUJA Lobbi atrovirens. Rich shining deep-green fleshy leaves. 18 in 2.50 2 ft 3.75 2½ ft 5.00 occidentalis. American Arborvitae. 15′-30′ Slender pyrametric broad base. Bronzy winter coloring. Good accent or he	dge
plant. Amenable to clipping. 1½ ft. 2.00 3 ft. 3.75 2 ft. 2.25 3½ ft. 4.75 2½ ft. 2.75 4 ft. 6.50 cocidentalis columbia. Columbia Arborvitae. 6′-10′ tipped with silvery white. Formal narrow pyramid. 18 in. 2.75 2 ft. 3.75 2½ ft. 4.75	J-
1½ ft	
2 ft 2.25 3½ ft 4.75	
2½ ft	
occidentalis columbia. Columbia Arborvitae. 6'-10' Branc	hes
tipped with silvery white. Formal narrow pyramid.	
18 in 2.75 2 ft 3.75 2½ ft 4.75	

THUJA occidentalis compacta. Parsons Dwarf Arborvitae. 2½'-Almost globe shaped. Bright green. Useful in formal or foundations.
tion planting. 12 in \$1.75 15 in \$2.00 18 in \$2.75
occidentalis douglasi aurea. Douglas Golden Arborvitae. 10'-1. A broad pyramid with golden green foliage.
A broad pyramid with golden green foliage. 18 in
18 in. 2.75 3 ft. 5.75 2 ft. 3.75 3½ ft. 8.00
2½ ft
Branches tipped with yellow. Rich lustrous green otherwis
occidentalis elegantissima. Golden Tipped Arborvitae. $10^{\prime}-1$ Branches tipped with yellow. Rich lustrous green otherwis 18 in. $2.00 2\frac{1}{2}$ ft. $4.50 2$ ft. $3.25 3$ ft. $5.75 $
occidentalis ellwangeriana. Tom Thumb Arborvitae. 4'-6' Ha
occidentalis ellwangeriana. Tom Thumb Arborvitae. 4'-6' Ha heather-like leaves—dense habit—soft, close texture. Form low, broad, blunt pyramid. Rich purple winter coloring.
12 in
15 iii
1½ ft
occidentalis globosa. Globe Arborvitae. $2\frac{1}{2}$ -3' Useful in form
work. Naturally globe shaped.
10 in. 1.35 15 in. 2.25 12 in. 1.75 18 in. 2.75
occidentalis hovevi. Hovey Arborvitae. 3'-4' Oval in shap
nearly as broad as high. Bright green foliage. 12 in 1.75 15 in 2.00 18 in 2.50
occidentalis lutea GEO PEARODY ARROPVITAE 10'-15' Conspic
ous golden yellow form. Columnar outline. 15 in
15 in
2 It
occidentalis plicata. Moss Arborvitae. 10'-20' Rich deep blu green foliage. Short, stiff fern-like branches give pleasing effe
in light and shade. Formal pyramid.
18 in. 1.85 3 ft. 4.00 2 ft. 2.00 3½ ft. 5.25 2½ ft. 2.75 4 ft. 6.50
2½ ft
occidentalis pyramidalis. Pyramidal Arborvitae. 15'-30' Retain
bright green coloring throughout winter. Narrow columns shape, splendid for accents or formal planting.
18 in. 1.75 3½ ft. 5.25 2 ft. 2.00 4 ft. 6.75 2½ ft. 2.75 4½ ft. 8.00 3 ft. 4.00 5 ft. 10.00
2½ ft. 2.75 4½ ft. 8.00
3 ft
occidentalis rosenthali. Rosenthal Arborvitae. 6'-10' Dens rugged columnar form. Slow grower.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
15 in
occidentalis spaethi. Spaeth Arborvitae. 2½'-4' Two kinds
leaves—heathlike and scaly. Interesting and distinct. 12 in
occidentalis umbraculifera. Umbrella Arborvitae. 2'-3' Pa
ticularly good—low mushroom shaped form with rich gree
foliage. 12 in 2.00 15 in 2.75 18 in 3.25
occidentalis vervaeneana. Vervaene Arborvitae. 8'-12' Varigated greenish yellow foliage, bronzy in winter—broadly pyra
midal.
18 in
2 ft 2.50 3 ft 4.50

THUJA occidentalis vervaeneana aurea. Golden Vervaene
Arborvitae' $\delta'-12'$ A more intense yellow than preceding.
2½ ft\$4.75 3½ ft\$9.50
3 ft
O II
wareana (siberica.) SIBERIAN ARBORVITAE. 12'-15' Light green
fleshy foliage. Broadly pyramidal, rugged in appearance.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$1\frac{1}{2}$ ft
2 ft
TSUGA canadensis. Canada Hemlock. 75'-90' Most graceful and
adaptable, the spreading horizontal branches making effective
shadow effects. Useful as clipped hedge or informal planting.
18 in
2 ft
211
caroliniana. Carolina Hemlock. 50'-60' A particularly fine ever-
green with horizontal branches and thick green leaves—very
hardy.
18 in 3.25 2 ft 4.75 $2\frac{1}{2}$ ft 6.50
VIBURNUM rhytidophyllum. Leatherleaf Viburnum. 6'-8' Large.
oblong leaves, deep green above, gray beneath—a bold handsome
shrub.
12 to 18 in
YUCCA filamentosa. Adam's Needle. 2'-3' Long lance-like leaves.
Tall flower spikes grow up quickly in June-July. Numerous
creamy flowers and general appearance give tropical effect.
Useful for massing with either evergreens or shrubbery.
Each Per 10
2 yr.**

Hardy Herbaceous Perennials

* indicates plants suitable for rockery or a	lpine gar	dens.	
ACHILLAE ageratum. SWEET YARROW. 2'	Each	Per 10	Per 100
Yellow, June-Sept	\$.25	\$2.00	\$16.00
Yellow, June-Septptarmica Boule de niege. YARROW. 18"			
White, June-Sept	.25	2.00	16.00
*tomentosa. Wooly Yarrow. I' Yellow,		0.00	40.00
June-Sept	.25	2.00	16.00
ACONITUM fischeri. Azure Monkshood.	40	0.00	00.00
2½' Dark blue, Sept-Oct	.40	3.00	29.00
*AETHIONEMA coridifolium. LEBANON	.40	3.00	25.00
STONECRESS. I' Pink, June ALTHAEA. HOLLYHOCK. 5' Assorted, single	.40	5.00	25.00
and double, July-Aug	.25	2.00	16.00
*ALYSSUM. saxitale compactum. DWARF	.20	2.00	10.00
GOLDENTUFT. I' Yellow, April-May.	.25	2.00	16.00
ANCHUSA italica. ITALIAN BUGLOSS. 4'	.20	2.00	10.00
Blue, June-Sept	.35	2.50	20.00
AQUILEGIA caerulea. Colorado Colum-	,,,,		
BINE. 18" Blue and white, May-June	.25	2.00	16.00
chrysantha. Golden Columbine. 2' Yel-			
low, May-June	.25	2.00	16.00
*flabellata. FAN COLUMBINE. I' White,			
May-June	.25	2.00	16.00
formosa truncata. California Hybrids.			
2' Various colors, May-June	.25	2.00	16.00
*ARABIS alpina. ALPINE ROCKCRESS. 6"	0 =	0.00	10.00
White, April-May	.25	2.00	10.00
*albida florepleno. Double Wallcress.	.35	2.50	20.00
6" White, April–May	.55	2.50	20.00
*ARENARIA montana. SANDWORT. 4"	.25	2.00	16.00
White, April-May* *ARMERIA maritima. SEA THRIFT. 6" Pink,	.20	2.00	10.00
May-June	.25	2.00	16.00

*ASTER alpinus. ROCK ASTER. 8" Lilac, May-June Beauty of Colwall. 4' Lavender. Aug	Each \$.25	Per 10 \$2.00	Per 100 \$16.00
Beauty of Colwall. 4' Lavender. Aug	~~		10.00
Oct	.25	2.00	16.00
sub-coeruleus. 12" Mauve, June-July	.25	2.00	16.00
AUBRIETIA deltoidea. Common Aubrie-	0.5	0.70	20.00
DADTICIA - Violet, April-May	.35	2.50	20.00
DAPTISIA australis. BLUE WILD-INDIGO. 2/2	25	0.00	10.00
Dark blue, May-Junetinctoria. YELLOW WILD-INDIGO. 2' Yel-	.25	2.00	16.00
inctoria. YELLOW WILD-INDIGO, 2' YEI-	0~	0.00	10.00
DOLTONIA 1-ti	.25	2.00	16.00
tinctoria. YELLOW WILD-INDIGO. 2' Yellow, June-July	95	0.00	16.00
let. AugSept latisquama nana. Dwarf Pinkray Bol- Tonia. 2' Light Pink, AugSept	.25	2.00	16.00
TOWA of Light Dink Aug Cont	.25	2.00	16.00
*CALANDD(NIA umballata Deputita December 1	.20	2.00	16.00
*CALANDRÍNIA umbellata. PERUVIAN ROCK- PURSLANE. 6" Purplish crimson, July-			
Oct 1 di pilsii ci ilisoli, july-	.25	2.00	16.00
Oct*CAMPANULA carpatica. CARPATHIAN BELL-	.20	2.00	10.00
FLOWER 6" Light blue July-Aug	.25	2.00	16.00
FLOWER. 6" Light blue, July-Aug *alba. White Carpathian Bellflower.	.20	2.00	10.00
dina. WHITE CARPATHIAN BELLFLOWER. 6" White, July-Aug glomerata. Danesblood. 18" Dark blue, June-July	.25	2.00	16.00
glomerata DANESBLOOD 18" Dark blue	.20	2.00	10.00
June-July	.25	2.00	16.00
June–July	0	2.00	10.00
Pink, White, June	.25	2.00	16.00
medium calveanthema. Cup-AND-SAUCER.	0		10.00
2' Blue, pink, white, June	.25	2.00	16.00
persicifolia. Peachleaf Bellflower. 2'	0		20.00
Blue, June-July	.25	2.00	16.00
Blue, June–July persicifolia alba. WHITE PEACHLEAF BELLEFLOWER. 2' White, June–July			
Bellflower. 2' White, June-July	.25	2.00	16.00
CENTAUREA MONTANA. MOUNTAIN-BLUET.			
2' June-Sept* *CERATOSTIGMA plumbaginoides. (PLUM-	.25	2.00	16.00
*CERATOSTIGMA plumbaginoides. (Plum-			
8" Deep blue, AugSept	.35	2.50	20.00
8" Deep blue, Aug.—Sept			
AugSept	.25	2.00	16.00
lyoni. Lyon Turtlehead. 2½' Red,	~~	2.00	10.00
AugSept	.25	2.00	16.00
CHRYSANTHEMUM	.40	3.25	25.00
Maximum. Shasta Daisy. 2' White, July	y-Sept.		
Maximum Alaska. 2' White, July-Sept.			
Dean Emery. 2½' Large. Yellow, mediur	n, Oct.		
Donkelaria. 2½' Large. Yellow, early, Oc	et.		
Aug.—Sept. CHRYSANTHEMUM. Maximum. Shasta Daisy. 2' White, July Maximum Alaska. 2' White, July—Sept. Dean Emery. 2½' Large. Yellow, medium Donkelaria. 2½' Large. Yellow, early, Or Globe D'Or. 18" Button. Yellow, early, Or Harrie. 2' Pompom. Yellow, medium. La Garrone. 2' Large. Rose and buff, ear L'Argentuillais. 2' Large. Bronzy red, med Lillian Doty. 3' Pompom. Flesh pink, med Marie Dupont. 3' Large. White, early. Mrs. H. Harrison. 3' Pompom. Blush, ea Pink Doty. 3' Pompom. Clear pink, medium Doty. 3' Pompom.			
Harrie. 2' Pompom. Yellow, medium.	1 .		
La Garrone. 2' Large. Rose and buil, ear	ly.		
L'Argentullais. 2 Large. Bronzy red, me	dium.		
Maria Durant a/ Large White corly	aium.		
Mrs U Uarrison 2' Domnom Blush on	#1s7		
Pink Daty 2' Pompom Clear pink med	11y .		
Oneen of the Whites 2' Large Creamy	white 1	ate	
Red Doty. 2' Pompom Wine red. meditt	n.	acc.	
St. Illoria. 21/2' Large. Pink, medium.			
Soeur Melanie, 21/2' Large, White, media	ım.		
Tennyson. 2' Pompom. Red. late.			
Uvalda. 2½' Pompom. White.			
Yellow Dot. Pompom. Yellow, medium.			
White Doty. 3' Pompom. White, medium	1.		
Zenobia. 18" Button. Yellow, early.			
Mrs. H. Harrison. 3' Pompom. Blush, ea Pink Doty. 3' Pompom. Clear pink, mediqueen of the Whites. 3' Large. Creamy Red Doty. 3' Pompom. Wine red, medium St. Illoria. 2½' Large. Pink, medium. Soeur Melanie. 2½' Large. White, medium Tennyson. 2' Pompom. Red, late. Uvalda. 2½' Pompom. White. Yellow Dot. Pompom. Yellow, medium. White Doty. 3' Pompom. White, medium Zenobia. 18" Button. Yellow, early. CIMISCIFUGA racemosa. Cohosh Bugbane. 3'-4' White, July-Aug		0.05	0
BANE. 3'-4' White, July-Aug	.40	3.25	25.00

acii		
		Per 100
50	\$4.00	
35	2.50	\$20.00
25	2.00	16.00
		16.00
25	2.00	16.00
25	2.00	16.00
25	2.00	16.00
25	2.00	16.00
25	2.00	16.00
25	2.00	16.00
25	2.00	16.00
อะ	9.00	16.00
		16.00
$\frac{25}{25}$		16.00
		16.00 16.00
		20.00
25	2.00	16.00
25	2.00	16.00
65	5.75	50.00
	2.05	29.00
25	2.00	16.00
25	2.00	16.00
25	2.00	16.00
ดะ	2.00	16.00
25		10.00
25	2.00	16.00
25	2.00	16.00
25	2.00	16.00
	0.70	
.35 .30		20.00
ດະ	2.00	16.00
.20	2.00	16.00
25	2.00	16.00
25	2.00	16.00
.25	2.00	16.00
.25	2.00	16.00
	25 25 25 25 25 25 25 25 25 25	35

•	Each	Per 10	Per 100
GYPSOPHYLLA paniculata. BABYSBREATH.	224011	10110	101 100
2' White, June-July	\$.25	\$2.00	\$16.00
2' White, June-July*repens. Creeping Gypsophylla. 4" White, June-July	.25	2.00	16.00
HELENIUM autumnale superba. GREAT SNEEZEWEED. 4' Yellow, Aug.—Sept.	.25	2.00	16.00
Riverton Gem. Bronze Sneezeweed. 3'	.25	2.00	16.00
Bronze, Aug.—Sept	.35	2.50	29.00
May-Sept—			
HELIOPSIS helianthoides pitcheriana. Pit-	.25	2.00	16.00
CHER HELIOPSIS. 3 ⁷ Yellow, July— Sept	.25	2.00	16.00
HEUCHERA sanguinea. CORAL BELLS. 18"			
Pot grown. Crimson. May-Sept sanguinea alba. White Arrowroot. 18"	.35	2.50	29.00
White, May-Sept	.35	2.50	29.00
HIBISCUS oeccliroseus. Crimson-eye Rose- MALLOW. 4' Aug.—Sept	.25	2.00	16.00
moscheutos. Rosemallow. 4' Aug.—Sept	.25	2.00	16.00
HOLLYHOCK. (See Althea).			
*IBERIS gibraltarica. GIBRALTAR CANDY- TUFT. I' Lilac, May-June	.25	2.00	16.00
*sempervirens. Evergreen Candytuft. 10" White, April—May. sempervirens. Little Gem. 6" Evergreen leaves. White April	.25	2.00	16.00
green leaves. White, April	.35	3.00	25.00
*IRIS pumila cyanea. DWARF IRIS. 8" Pur-			
ple, May Dwarf Yellow. germanica. German Iris. 1½'-2½'	.25	2.00	16.00
Dwarf Yellow	.25	2.00	16.00
germanica. GERMAN IRIS. $1\frac{1}{2}'-2\frac{1}{2}'$.25	2.00	16.00
Aurea—yellow. H. Cramer—	lavende	r blue.	
Dr. Bernice—bronze. King—dark	purple.		
Florentina—white. Landseer.			
General. Loreli—yello Granite Blue—light blue. Mme. Chere)W.	ita nana	ilod blue
Gracchus—pale yellow, suf- Mme. Pacqu	itte—ro	sv clare	t blue
fused red Mrs H Day	win—w	nite, vic	let base.
Her Majesty—pink. Pallida Spec	10 Sa —116	een lave	nder.
kaempferi. JAPANESE IRIS. 2'-2½' Blue Jay—pale blue. J. C. Vaugh	.35	2.50	20.00
Blue Jay—pale blue. J. C. Vaugh	an—whit	e.	
Blue, Yellow Centre. Light Blue. Dark Maroon. Oyodo—dar	l 1		
Dark Maroon. Oyodo—dar Eclipse—double purple. Purple, Yell	k purpie		
Frate—dbl white lilac centre Red. White	Centre.		
Frate—dbl. white, lilac centre.Red, White sibirica. Siberian Iris. 2' Purple, May—	0 02202 01		
June	.25	2.00	16.00
Junesibirica alba. White Siberian lris. 2'			
White, May-June	.35	3.00	25.00
Pink, June-Aug	.20	1.80	15.00
*LINUM perenne. Blue Perennial Flax. 1' June-July	.25	2.00	-16.00
LOBELIA cardinalis. CARDINALFLOWER. $2\frac{1}{2}$			
Scarlet, July-Aug	.25	2.00	16.00
Syphilitica. Large Blue Lobelia. 2'	.25	2.00	16.00
Blue, Aug.—Septsiphilitica alba. White, Aug.—Sept	.25	2.00	16.00

	Each	Per 10	Per 100
June-July	\$.25	\$2.00	\$16.00
Blue, June—July	.40	3.25	25.00
Blue, June-Julypolyphyllus albus. 3' White, June-Julypolyphyllus moerheimi. Rose Lupine. Pink,	.40	3.25	25.00
June-July LYCHNIS chalcedonica. MALTESE CROSS. 2'	.40	3.25	25.00
Scarlet, June-Julyhaageana. HAAGE CAMPION. I' Scarlet,	.25	2.00	16.00
June-July LYCHNIS chalcedonica. Maltese Cross. 2' Scarlet, June-July haageana. Haage Campion. 1' Scarlet, May-June. viscaria splendens florepleno. Double Rosepink Campion. 1' Crimson, May-June LYTHRUM salicaria. Purple Loosestrife.	.25	2.00	16.00
May-June	.35	2.50	20.00
	.35	2.50	20.00
MATRICARIA inedora. Scentless False- CHAMOMILE. 18" White, June-Sept	.25	2.00	16.00
MISCANTHUS sinensis. Eulalia. 2½' sinensis. Variegated Striped Eulalia.	.25	2.00	16.00
MONARDA media. Purple Wildbergamot.	.25	2.00	16.00
2½' Rose red, June–Aug	.25	2.00	16.00
*MYOSOTIS scorpioides (palustris). True Forget-me-not. 10" Blue, May-Sept.	.25	2.00	16.00
*nixenauge. 8" Pale blue. May-June *NIEREMBERGIA rivularis. WHITECUP. 4"	.25	2.00	16.00
White, June-Aug OENOTHERA youngi. Youngs Sundrops.	.25	2.00	16.00
2' Yellow, June-Augspeciosa. White Sundrops. 18" White,	.25	2.00	16.00
AugSept	.25	2.00	16.00
PACHYSANDRA terminalis. JAPANESE PACHYSANDRA. 8" Greenish white,			
May	.25	2.00	16.00
PAEONIA. PEONY. Festiva Max	.75	6.50	50.00
Agida—red. Festiva Max Albatree—white. Lady Dartmo	ima—w	hite.	
Albert Crousse—rose white. La Tulipe—v	vhite.		
August d'Hour—dark red. Louise Van I	Ioutte-	—deep ro	se.
Canari—yellow. Mad. L. Cale Couron d'Or—white. Mad. Mouto	t—pin t—pink	K. C.	
Delachi—red. Magnifica—v	white.		
Duc de Wellington—white. Marie Des H Duchesse de Nemours—whiteMarie Lemo	lolmes-	—white.	
Edouard Andre—Carmine. McMahon—	red.		
Edulis Superba—pink. Meissonier— Eugene Verdier—pink. Mme. de Ver	purple	red.	
Eugene Verdier—pink. Mme. de Ver Faust—pink. Modest Guer	rneville	wnite.	
Felix Crousse—red. Rose d'Amor Festiva Alba—white.	ır—pin	k.	
*PAPAVER nudicaule. ICELAND POPPY. 10"			
White yellow, May-Augpapaver orientale. Oriental Poppy. 2½'	.25	2.00	16.00
Scarlet, July-Aug	.35	2.50	25.00
PENTSTEMON torreyi. TORREY PENTSTE- MON. 3' Scarlet, June-Aug	.25	2.00	16.00
PHALARIS arundinacea. REED CANARY GRASS. 3'	.25	2.00	16.00

	Each	Per 10	Per 100
PHLOX arendsi. Arends Phlox.			
Louise. I' Lilac, May-July\$ *Divaricata. Blue Phlox. I' Lavender blue May	.25	\$2.00	\$16.00
blue. May	.25	2.00	16.00
blue, May Decussatta. GARDEN PHLOX. 1½-2' July-			20100
SeptBaron Von Heeckeren. Salmon-pink	.35	2.75	25.00
Convelicat Brilliant Scarlet	.35	2.75	25.00
Coquelicot. Brilliant Scarlet Deutschland. Bright orange-red	.35	$\frac{2.75}{2.75}$	25.00
Eclaireur. Violet-red, pink eye	.25	2.00	16.00
Elizabeth Campbell. Delicate Salmon-			
pink	.35	2.75	25.00
Fraulein Von Krupp. White dwarf	.25	2.00	16.00
G. A. Strohlein. Orange-scarlet, darker			
eye	.35	2.75	25.00
General Von Heutz. Salmon-red. white			
centre	.25	2.00	16.00
Gruppenkonigin. Pale rose, darker cen.	.25	2.00	16.00
Hindenberg. Intense Crimson	.35	2.75	25.00
Jules Sandeau. Pure pink, dwarf	.35	2.75	25.00
La Vague. Mauve pink, red eye	.25	2.00	16.00
Mrs. Jenkins. (Independence), white	$.25 \\ .25$	$\frac{2.00}{2.00}$	16.00 16.00
Queen. White, early	.25	$\frac{2.00}{2.00}$	16.00
Physicson Doop pink	.25	$\frac{2.00}{2.00}$	16.00
Rhynstroom. Deep pink	.25	2.00	16.00
Thor. Salmon-pink, crimson eye, large	.25	2.00	16.00
Wanadis. Lilac nurnle eve	.35	$\frac{2.50}{2.50}$	20.00
Wanadis. Lilac, purple eye	.25	2.00	16.00
*ovata (carolina). MOUNTAIN PHLOX. 12"		_,,,	
Rosy red, June-July	.25	2.00	16.00
Rosy red, June-July* *subulata. Moss PhLox. 4" Pink, April-			
May	.25	2.00	16.00
*cubulata alba Wurre Mose Purov 4"			
White, April–May	.25	2.00	16.00
*subulata G. F. Wilson. LAVENDER MOSS			
White, April–May* *subulata G. F. Wilson. Lavender Moss Phlox. 4" Lavender blue, April–May	.40	3.25	25.00
sunfuticosa. Miss Lingard. Tan, vigorous.	0-	0.00	10.00
White, pink eye	.25	2.00	16.00
PLATYCODON grandiflorum. BALLOON			
PLATYCODON grandiflorum. BALLOON FLOWER. 18" Light blue, June—July	.25	2.00	16.00
grandiflorum album. White Balloon-			
grandiflorum album. White Balloon- FLOWER. White, June-July	.25	2.00	16.00
mariesi. Maries Balloonflower. 12"			10.00
Blue, June-July	.25	2.00	16.00
PLUMBAGO. (See Ceratostigma).			
POLEMONIUM caeruleum. GREEK VALE-			
RIAN 2' Blue June-July	.25	2.00	16.00
RIAN. 2' Blue, June–July* *Richardsoni. JACOB'S LADDER. 12" Sky	0		20100
blue, June-July	.25	2.00	16.00
*PRIMULA acaulis (vulgaris). English Prim-			
POSE 8" Lemon vellow April-May	.25	2.00	16.00
*elatior. OXLIP PRIMROSE. 8" Various,			
April-May	.25	2.00	16.00
April-May* *veris. Cowslip Primrose. 6" Yellow,			
April–May	.25	2.00	16.00
PYRETHRUM hydridum. PAINTED LADY. 2'			
Double mixed. July-Aug	.25	2.00	16.00
RIIDBECKIA laciniata. GOLDEN GLOW 6'			
Yellow, Aug.—Sent	.25	2.00	16.00
speciosa (newmanni). Showy Coneflower.			
RUDBECKIA laciniata. Golden Glow. 6' Yellow, AugSept speciosa (newmanni). Showy Coneflower. 2' Pot grown. Yellow, July-Oct	.25	2.00	16.00
-			

CATATA A C/ Cl 11	Eac	h Per 10	Per 100
SALVIA azuria. Azure Sage. 3' Sky blue,	.25	\$ 2.00	\$ 16.00
pratensis. Meadow Sage. 2' Deep blue,		Ψ 2.00	₩ 10.00
June-July	.25	2.00	16.00
*SEDUM acre. Goldmoss. 3" Yellow, May-			
June*album. White Stonecrop. 3" White,	.25	2.00	16.00
*album. WHITE STONECROP. 3" White, May-June	.25	2.00	16.00
divergens. 6"	.35	$\frac{2.00}{2.50}$	20.00
divergens. 6". *kamtschaticum. Orange Stonecrop. 8"			
Yellow, July-Aug*sarmentosum. Stringy Stonecrop. 2"	.25	2.00	16.00
Vellow, June-July	.25	2.00	16.00
Yellow, June-Julyspectabile. Showy Stonecrop. 18" Pink,	.20	2.00	10.00
AugSept*stoloniferum. Running Stonecrop. 6"	.25	2.00	16.00
Pink, July-Aug.	.25	2.00	16.00
*hispanicum. Spanish Stonecrop 4"		2.00	10.00
Pale pink, July	.25	2.00	16.00
CROPMONREALE STONE-	.35	2.50	20.00
STACHYS lanata. Woolly Betony. 18"	.00	2.00	20.00
Purple, June–July	.25	2.00	16.00
STOKESIA laevis. Blue Stokesia. 18"		2.00	20.00
Blue, July-Oct	.25	2.00	16.00
Blue, July-Oct		2.00	40.00
July-Oct	.25	2.00	16.00
*THYMUS serphyllum splendens. FIREFLY	٥-	0.00	10.00
THYME. 2" Red, June-July	.25	2.00	16.00
TRITOMA pfitzeriana. Bonfire Torchlily.	.25	0.00	16.00
2½' Red and orange, AugSept	.20	2.00	10.00
*TUNICA saxifraga. SAXIFRAGE TUNIC- FLOWER. 6" White, July-Aug	.25	2.00	16.00
	.20	2.00	10.00
VERONICA longifolia subsessilis. CLUMP SPEEDWELL. 2' Violet-blue. Aug			
Sept	.35	2.50	20.00
Sept*repens. Creeping Speedwell. 2" Blue,	~~	0.00	10.00
May* *rupestris. Rock Speedwell Pink. 4"	.25	2.00	16.00
Pink, May-June	.35	2.50	20.00
spicata. Spike Speedwell. 18" Blue,	0~	0.50	00.60
June-July	.35	2.50	20.00

Fruit Trees and Bush Fruits

$\frac{1}{8}$ in. to	CRAB APPLES up	X	2.00 1.50 1.00 .75
SUMMER	AUTUMN	WIN	TER
Early Harvest	Duchess	Baldwin	Northern Spy
Early Strawberry	Fall Pinnin	Ben Davis Delicious	Rome Beauty Roxbury Russet
Gravenstein	King	Fameuse (Snov	v) Spitzenburg
Red Astrachan	Sweet Bough	Golden Russet Jonathan	Stayman's Stark
Williams E. Red	Talman Sweet	McIntosh	York Imperial
	Wealthy	N. W. Greening	g Winesap
Yel. Transparent	Wolf River -Hyslop, Red Sit	R. I. Greening	Winter Banana
CKAD ATTEES	-12yslop, Red Sit	Jerian, Transcent	ACIII.
APPLES—Dwarf 5/8 in to 5 1/2 in. to	3/4 in	A	1.50 1.00 thern Spy, Wealthy.
		I. Greening, Nor	thern Spy, wealthy.
PEARS—Standar		3737	0.00
1 in. and	up	·····XX	2.00 1.50
11-16th i	1 in		1.00
Med. gra	de, 5% in. to 11-1	6th inM	.75
Bartlett Beurre Bosc	Duchess Flemish		ckel eldon
Beurre d'Anjou	ı Kieffer	Ve:	rmont Beauty
Clapp's Favori			
PEARS—Dwarf			
	de, 5/8 in. and up	A	1.00
Med. gra	de, ½ in. to ½ in	1B ss. Louise Bonn	.75 e, Seckel, Vermont
Beauty.	ravorne, Duene	ss, Douise Bonn	c, Sconci, Vermont
CHERRIES—So	ur		
1 in, and	up	XX	2.00
% in. to	1 in	X	1.50 1.00
5% in. to	n. to 1/8 in 11-16th in	M	.75
Early Richmon	11-16th ind, Montmorency,	English Morello	
CHERRIES—Sw		373737 M	0.50
	nd up		$2.50 \\ 2.00$
% in. to	1 in	X	1.50
11-16th i	1 in n. to 1/8 in	<u>A</u>	1.25
% in. to	11-16th in	B	1.00
Schmidt's Bigg	an, Downer's L areau, Yellow Sp	anish.	Wood, Napoleon,
PLUMS-			
1 in. and	up	XX	2.00 1.50
11-16th i	1 in	A	1.00
Abundance, B	radshaw, Burba	nk, Imperial, S	hropshire Damson,
Yellow Egg, Ge	erman Prune.		

DEL CITES	72	
PEACHES—	Each	Per 10
3/4 in. and up, 5 to 7 ftXX	1.00	\$9.00
⁵ / ₈ in. to ³ / ₄ in., 4 to 6 ft X 9-16th in. to ⁵ / ₈ in., 4 to 5 ft A	.75	6.50
9-16th in. to 5/8 in., 4 to 5 ft	.50	4.50
7-16th in. to 9-16 inth., 3 to 5 ftM 5-16th in. to 7-16th in., 3 to 4 ftB	.40	3.50
5-16th in. to 7-16th in., 3 to 4 ftB	.30	2.50
F. indicates Freestone.		
EARLY MID-SEASON]	LATE
Carman, F., White Champion F., White Late Crawford F., Yel.		nmel October
Champion F., White Late Crawford F., Yel.		F., Yellow
Early Crawford F., Yel. Elberta F., Yellow	Fox	Seedling
Fitzgerlad F., Yellow Hiley F., White Hale F., Yellow		F., White
Mountain Rose F., Wh. Iron Mountain F., Whit	te	
Ray F., White Miss Lolo F., White		
QUINCES-		
3/4 in., 4 to 5 ftX	1.50	
% in 3 to 4 ft	1.25	
½ in., 2½ to 3 ft	1.00	
Champion, Orange.		
NUTS-		
Butternut—2 to 3 ft	1.00	
3 to 4 ft	1.25	
4 to 6 ft	1.50	
Hickory—Shellbark		
3 to 4 ft	2.00	
4 to 5 ft	2.50	
Walnut-Black		
2 to 3 ft	1.50	
3 to 4 ft	$\frac{2.00}{2.50}$	
4 to 5 ft	1.50	
Japan—3 to 4 ft	2.00	
5 to 6 ft	$\frac{2.50}{2.50}$	
GRAPES—		
Agawam, red		
Brighton, black		
Campbell's Early, black		
Catawba, red		
Champion, black	Eash	Dan 10
Clinton, black	Each .35	Per 10 3.00
Concord, Diack	.00	0.00
Delaware, red		
Moore's Early, black		
Moore's Diamond, white		
Niagara, white Worden, black		
Worden, black		
CURRANTS—		
Cherry Fav's Prolific		
Fay's Prolific Lee's Black		
Perfection		
White Grape		
}2 yr.	\$.35	3.00
GOOSEBERRIES—	.50	
Downing Houghton		
Joselyn		
Red Jacket		

RASPBERRY-Cuthbert, Kansas, Columbian,		Per 10	Per100
St. Regis (everbearing)		\$1.00	\$8.00
BLACKBERRIES—Blower's, Erie, Rathbun		1.00	8.00
STRAWBERRIES		1.00	6.00
ASPARAGUS—2 yr		.50	3.00
RHUBARB	.25	2.00	15.00

Humus

The productiveness of the soil depends on its fertility. Humus is a fertility maker. Without it there would be no plant life. It is one of the most important soil constituents. It is the chief source of nitrogenous food for plants. It helps a sandy soil by greatly increasing its water holding capacity. It makes a clay soil more granular and lessens its tendency to bake. The use of Humus means an increased yield of vegetables, better flowers, shrubs, trees and lawns.

Rhododendron—Kalmia—Wildings

The use of Humus, in the proper quantity, will insure success with Rhododendrons, Kalmia, Ferns and Wild Flowers because it reproduces the soil conditions in which they are found growing wild. In addition, if a suitable mulch of Humus is used, it will keep the roots moist during the extreme heat of summer, and a strong, healthy growth will be assured.

Cultural directions will be sent upon request.

Prices

\$5.00 for five 100-lb. bags; \$18.00 per ton, f. o. b. Stanhope, N. J.

A great saving may be effected in purchasing humus in bulk, in carloads of 30 to 35 tons, owing to the saving in bags and labor of handling and the fact that the freight is much less on bulk humus. Price quoted upon application.



